Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1
Ag84M
Cop. 4

#1205

A SELECTED BIBLIOGRAPHY OF NATURAL PLANT COMMUNITIES IN 11 MIDWESTERN STATES

U.S. DEPT. OF AGRICULTURE
NAT'L AGRIC. LIBRARY
RECEIVED
MAY 14 '76
PROCUREMENT SECTION
CURRENT SERIAL RECORDS

SOIL CONSERVATION SERVICE
U.S. DEPARTMENT OF AGRICULTURE
MISCELLANEOUS PUBLICATION No. 1205

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 - Price 30 cents
Stock Number 0100–1436

Issued June 1971

A SELECTED BIBLIOGRAPHY OF NATURAL PLANT COMMUNITIES IN 11 MIDWESTERN STATES

Prepared by Arnold J. Heerwagen, *range conservationist* (retired), Soil Conservation Service

Publications listed in this bibliography describe natural plant communities in the following states:

Illinois	Michigan	North Dakota
Indiana	Minnesota	South Dakota
Iowa	Missouri	Wisconsin
Kansas	Nebraska	

Only those studies actually conducted in the states listed and those studies made for larger areas but specifically referring to plant communities in the states listed are included.

With only a few exceptions, the studies are restricted to those describing the nature of past and present plant communities and the response of these communities to variations in such factors as soil, climate, drought, grazing, and fire. A few studies describing underground plant parts and the phenology of species are included. Taxonomic keys and lists of flora are not included.

Although the list is reasonably comprehensive, some worthy publications have undoubtedly been omitted. Students of natural plant communities will also want to refer to a number of excellent studies of similar vegetation in adjacent states and Canada.

1. Adams, Charles C. 1909. An ecological survey of Isle Royale, Lake Superior. Rpt. Bd. Geol. Survey 1908. Lansing, Mich. 1 to 14, 1-468.

2. Adams, R. P. 1930. Weed succession of an abandoned roadway. Proc. Iowa Acad. Sci. 36: 213-219.

3. Ahlgren, Clifford E. 1957. Phenological observations of nineteen native tree species in northeastern Minnesota. Ecology 38: 622-628.

4. _____ 1960. Some effects of fire on reproduction and growth of vegetation in northeastern Minnesota. Ecology 41: 431-445.

5. _____ 1963. Some basic ecological factors in prescribed burning in northeastern Minnesota. Proc. Annu. Tall Timbers Fire Ecol. Conf. 2: 143-149.

6. Aikman, J. M. 1928. Competition studies in the ecotone between prairie and woodland. Proc. Iowa Acad. Sci. 35: 99-103.

7. _____ 1929. Distribution and structure of the forests of eastern Nebraska. Univ. Nebr. Studies 26: 1-75.

8. _____ 1930. Secondary plant succession on Muscatine Island, Iowa. Ecology 11: 577-588.

9. _____ 1935. The relation of the stages of plant succession to soil erosion. Iowa State Col. J. Sci. 9: 379-389.

10. _____ 1955. Burning in the management of prairie in Iowa. Proc. Iowa Acad. Sci. 62: 53-62.

11. _____ and C. L. Gilly. 1948. A comparison of the forest floras along the Des Moines and Missouri Rivers. Proc. Iowa Acad. Sci. 55: 53-73.

12. _____ and A. W. Smelser. 1938. The structure and environment of forest communities in central Iowa. Ecology 19: 141-150.

13. Albee, L. R., E. W. Klosterman, W. H. Burkitt, and H. R. Olson. 1948. South Dakota grasslands—their condition and management. S. Dak. Agr. Expt. Sta. C. 70. 39 p.

14. Albertson, F. W. 1937. Ecology of the mixed prairie in west-central Kansas. Ecol. Monographs 7: 481-547.

15. _____ 1938. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 41: 77-83.

16. _____ 1939. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 42: 97-107.

17. _____ 1941. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 44: 49-57.

18. _____ 1942. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 45: 47-54.

19. _____ 1943. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 46: 81-84.

20. _____ 1945. Prairie studies in west-central Kansas. Trans. Kans. Acad. Sci. 47: 405-414.

21. _____ 1949. Man's disorder of nature's design in the Great Plains. Trans. Kans. Acad. Sci. 52: 117-131.

22. _____ and G. W. Tomanek. 1965. Vegetation changes during a 30-year period in grassland communities near Hays, Kansas. Ecology 46: 714-720.

23. _____ G. W. Tomanek, and Andrew Riegel. 1957. Ecology of drought cycles and grazing intensity on grasslands of central Great Plains. Ecol. Monographs 27: 27-44.

24. _____ and J. E. Weaver. 1942. History of the native vegetation of western Kansas during seven years of continuous drought. Ecol. Monographs 12: 23-51.

25. _____ and J. E. Weaver. 1944. Effects of drought, dust, and intensity of grazing on cover and yield of shortgrass pastures. Ecol. Monographs 14: 1-29.

26. _____ and J. E. Weaver. 1945. Injury

and death of trees in a prairie climate. Ecol. Monographs 15: 393-433.

27. _____ and J. E. Weaver. 1946. Reduction of ungrazed mixed prairie to short grass as a result of drought and dust. Ecol. Monographs 16: 449-463.

28. Aldous, A. E. 1934. Effects of burning on Kansas bluestem pastures. Kans. Agr. Expt. Sta. Bull. 38. 65 p.

29. Allred, B. W. 1945. Some conditions and influences pertaining to the native forage crop of the northern mixed prairie. J. Amer. Soc. Agron. 37: 876-887.

30. Alway, F. J., and P. R. McMiller. 1933. Interrelationships of soil and forest cover on Star Island, Minnesota. Soil Sci. 36: 281-294.

31. Anderson, Kling L. 1940. Deferred grazing of bluestem pastures. Kans. Agr. Expt. Sta. Bull. 291 27 p.

32. _____ 1943. The grasslands of Kansas. Bien. Rpt. Kans. State Bd. Agr. 38: 144-160.

33. _____ 1951. The effects of grazing management and site conditions on Flint Hills bluestem pastures in Kansas. Ph.D. Thesis. Univ. of Nebr., Lincoln.

34. _____ 1953. Utilization of grasslands in the Flint Hills of Kansas. J. Range Mangt. 6: 86-93.

35. _____ and Claude L. Fly. 1955. Vegetation-soil relationships in Flint Hills bluestem pastures. J. Range Mangt. 8: 163-169.

36. Anderson, O. 1948. An ecological study of the climax vegetation of Taylor County, Wisconsin. M.S. Thesis. Univ. of Wis., Madison.

37. _____ 1954. The phytosociology of dry lime prairies of Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

38. Anderson, R. C. 1970. Prairies in the prairie state. Trans. Ill. State Acad. Sci. 63: 214-221.

39. _____ O. L. Loucks, and A. M. Swain. 1969. Herbaceous response to canopy cover, light intensity, and through fall precipitation in coniferous forests. Ecology 50: 255-263.

40. Anderson, S. T. 1954. A late-glacial pollen diagram from southern Michigan. Danmarks Geol. Undersoqelse. Ser. 2, 4(1). 24 p.

41. Anderson, W. A. 1946. Development of prairie at Iowa Lakeside Laboratory. Amer. Midl. Nat. 36: 431-455.

42. Anthoney, R. B. 1937. Prairie plant distribution in Rock County, Wisconsin. M.S. Thesis. Univ. of Wis., Madison.

43. Archibald, D. 1954. The effect of native legumes on the establishment of prairie grasses. Ph.D. Thesis. Univ. of Wis., Madison.

44. Artist, R. C. 1936. Stratigraphy and preliminary pollen analysis of a Lake County, Illinois, bog. Butler Univ. Bot. Studies 3: 191-198.

45. Ashby, William C., and George T. Weaver. 1970. Forest regeneration on two old fields in southeastern Illinois. Amer. Midl. Nat. 84: 90-104.

46. Baker, R. G. 1965. Late-glacial pollen and plant macrofossils from Spider Creek, southern St. Louis Co., Minnesota. Geol. Soc. Amer. Bull. 76: 601-610.

47. Barclay, H. G. 1924. The plant succession on the flood plain of the Mississippi River with special reference to the pioneer stage. M.A. Thesis. Univ. of Minn., Minneapolis.

48. Bard, Lucia D. 1957. Relations between legumes and other prairie species on some relic prairie sites of Wisconsin. M.S. Thesis. Univ. of Wis., Madison.

49. Barker, William T. 1969. The flora of the Kansas Flint Hills. Univ. Kans. Sci. Bull. 48(14): 525-584.

50. Barnett, Jean. 1937. Pollen study of Cranberry Pond, near Emporia, Madison County, Indiana. Butler Univ. Bot. Studies 4: 55-64.

51. Bay, Roger, R. 1967. Ground water and vegetation in two peat bogs in northern Minnesota. Ecol. Monographs 48: 308-310.

52. Bazzaz, F. A. 1963. Secondary succession on abandoned fields in southern Illinois. Ph.D. Thesis. Univ. of Ill., Urbana. 190 p.

53. _____ 1968. Succession on abandoned fields in the Shawnee Hills of southern Illinois. Ecology 49: 924-936.

54. Beals, Edward W., and James B. Cope. 1964. Vegetation and soils in an eastern Indiana woods. Ecol. Monographs 45: 777-792.

55. _____ and G. Cottam. 1960. The forest vegetation of the Apostle Islands, Wisconsin. Ecology 41: 743-751.

56. Beebe, J. D., and G. R. Hoffman. 1968. Effects of grazing on vegetation and soils in southeastern South Dakota. Amer. Midl. Nat. 80: 96-110.

57. Beilman, A. P., and L. C. Brenner. 1951a. The recent intrusion of forests in the Ozarks. Ann. Mo. Bot. Gard. 38: 261-282.

58. _____ and L. C. Brenner. 1951b. The changing forest flora of the Ozarks. Ann. Mo. Bot. Gard. 38: 283-291.

59. Benninghoff, W. S. 1960. Pollen spectra from bryophytic moss polsters, Inverness Mud Lake Bog, Cheboygan County, Mich. Mich. Acad. Sci. 45: 41-60.

60. _____ and K. J. Cramer. 1963. Phytosociological analysis of aspen communities on three site classes for Populus grandidentata in western Cheboygan County, Michigan. Vegetatio 11: 253-263.

61. Bergman, H. F. 1919. The vegetation of Minnesota swamps. Minn. Geol. Survey Bull. 16: 61-73.

62. _____ 1923. The composition of climax plant formations in Minnesota. Papers Mich. Acad. Sci. 3: 51-60.

63. _____ and H. Stallard. 1916. The development of climax formations in northern Minnesota. Minn. Bot. Studies 4: 333-378.

64. Bidwell, O. W. 1966. The Flint Hills range sites. Trans. Kans. Acad. Sci. 69: 205-213.

65. Bjugstad, A. J. 1965. Vegetation measurements in relation to range condition classification on the principal range sites of southwestern North Dakota. Ph.D. Thesis. N. Dak. State Univ., Fargo.

66. Black, W. H., A. L. Baker, V. I. Clark, and O. R. Matthews. 1937. Effect of different methods of grazing on native vegetation and gains of steers in northern Great Plains. U.S. Dept. Agr. Tech. Bull. 547. 18 p.

67. Blair, Byron O. 1949. The ecology of a pasture in the Dakota Sandstone formation in Ellsworth County, Kansas. Trans. Kans. Acad. Sci. 52: 38-57.

68. Blake, A. K. 1935. Viability and germination of seed and early life histories of prairie plants Ecol. Monographs 5: 405-460.

69. Bland, M. K., and P. D. Kilburn. 1966. Bluff prairie vegetation and soil texture. Trans. Ill. State Acad. Sci. 59: 25-28.

70. Blewett, Marilyn Bowman, and John E. Potzger. 1951. The forest primeval of Marion and Johnson Counties, Indiana, in 1819. Butler Univ. Bot. Studies 10: 40-52.

71. Bliss, L. C., and George W. Cox. 1964. Plant community and soil variation within a northern Indiana Prairie. Amer. Midl. Nat. 72: 115-128.

72. Booth, W. E. 1941. Revegetation of abandoned fields in Kansas and Oklahoma. Amer. J. Bot. 28: 415-422.

73. Branson, F. A. 1952. Native pastures of the dissected loess plains of central Nebraska. Ph.D. Thesis. Univ. of Nebr., Lincoln.

74. _____ and J. E. Weaver. 1953. Quantitative study of degeneration of mixed prairie. Bot. Gaz. 114: 376-416.

75. Braun, E. Lucy. 1950. Deciduous forests of eastern North America. The Blakiston Co., Philadelphia. 596 p. (selected sections).

76. Bray, J. R. 1955. The savanna vegetation of Wisconsin and an application of the concepts order and complexity to the field of ecology. Ph.D. Thesis. Univ. of Wis., Madison.

77. _____ 1957. Climax forest herbs in prairie. Amer. Midl. Nat. 58: 434-440.

78. _____ 1960. The composition of savanna vegetation in Wisconsin. Ecology 41: 721-732.

79. _____ 1962. The primary productivity of vegetation in central Minnesota, U.S.A., and its relationship to chlorophyll content and albedo. In Die Stoffproduktion der Pflanzendecke, p. 102-116. Gustav Fisher Verlag., Stuttgart.

80. _____ and J. T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. Ecol. Monographs 27: 325-349.

81. _____ D. B. Lawrence, and L. C. Pearson. 1959. Primary production in some Minnesota terrestrial communities for 1957. Oikos 10: 38-49.

82. Bredemeier, L. F. 1958. Measurement of time and rate of growth of range plants with application in range management. J. Range Mangt. 11: 119-122.

83. Brewer, Richard. 1965. Vegetational features of a wet prairie in southwestern Michigan. C. C. Adams Cent. Ecol. Studies Occas. Paper 13. p. 1-16. West. Mich. Univ., Kalamazoo.

84. _____ 1966a. Notes on vegetation and birds of a maple forest in southwestern Michigan. Jack Pine Warbler 44: 48-49.

85. _____ 1966b. Vegetation of two bogs in southwestern Michigan. Mich. Bot. 5: 36-46.

86. _____ Arlo Raim, and Jerome D. Robins. 1969. Vegetation of a Michigan grassland and thicket. C. C. Adams Cent. Ecol. Studies. Occas. Paper 18. West. Mich. Univ., Kalamazoo.

87. Brinegar, T. E., and F. D. Keim. 1942. The relations of vegetative composition and cattle grazing on Nebraska rangeland. Nebr. Agr. Expt. Sta. Res. Bull. 123.

88. Brown, F.B.H. 1905. A botanical survey of the Huron River Vallev. III. The plant societies of the Bayou at Ypsilanti, Michigan. Bot. Gaz. 40: 264-284.

89. Brown, H. Leo. 1947. Coaction of jack rabbit, cottontail, and vegetation in a mixed prairie. Trans. Kans. Acad. Sci. 50: 28-44.

90. Brown, H. Ray. 1943. Growth and seed yields of native prairie plants in various habitats of the mixed prairie. Trans. Kans. Acad. Sci. 46: 87-99.

91. Brown, R. T. 1950. Forests of central Wisconsin sand plains. Bull. Ecol. Soc. Amer. 31: 56.

92. _____ 1951. The phytosociology of the conifer-hardwood forest of northern Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

93. _____ and J. T. Curtis. 1952. The upland conifer-hardwood forests of Wisconsin. Ecol. Monographs 22: 217-234.

94. Bruncken, E. 1902a. Studies in plant distribution. I. On the succession of forest types in the vicinity of Milwaukee. Bull. Wis. Nat. Hist. Soc. 2: 17-28.

95. _____ 1902b. A tamarack swamp in Waukesha County. Bull. Wis. Nat. Hist. Soc. 2: 164-167.

96. _____ 1910. Studies in plant distribution. 9. The shore of Lake Michigan. Bull. Wis. Nat. Hist. Soc. 8: 145-157.

97. Buell, M. F. 1956. Spruce-fir, maple-basswood competition in Itasca Park, Minnesota. Ecology 37: 606.

98. _____ and F. H. Borman. 1955. Deciduous forests of Ponemah Point, Red Lake Indian Reservation, Minnesota. Ecology 36: 646-658.

99. _____ and H. F. Buell. 1941. Surface level fluctuation in Cedar Creek Bog, Minnesota. Ecology 22: 317-321.

100. _____ and H. F. Buell. 1959. Aspen invasion of the prairie. Bull. Torrey Bot. Club 86: 264-265.

101. _____ H. F. Buell, and W. A. Reiners. 1968. Radial mat growth in Cedar Creek Bog, Minnesota. Ecology 49: 1198-1199.

102. _____ and John E. Cantlon. 1951. A study of two forest stands in Minnesota with an interpretation of the prairie-forest margin. Ecology 32: 294-316.

103. _____ and V. Facey. 1960. Forest-prairie transition west of Itasca Park, Minnesota. Bull. Torrey Bot. Club 87: 46-58.

104. _____ and W. E. Gordon. 1945. Hardwood-conifer forest contact zone in Itasca Park, Minnesota. Amer. Midl. Nat. 34: 433-439.

105. _____ and W. E. Martin. 1961. Competition between maple-basswood and fir-spruce communities in Itasca Park, Minnesota. Ecology 42: 428-429.

106. _____ and William A. Niering. 1957. Fir-spruce-birch forest in northern Minnesota. Ecology 38: 602-610.

107. _____ and R. L. Wilbur. 1948. Life-form spectra of the hardwood forests of the Itasca Park region, Minnesota. Ecology 29: 352-359.

108. Burgess, Robert L. 1964. Ninety years of vegetational change in a township in southeastern North Dakota. Proc. N. Dak. Acad. Sci. 18: 84-94.

109. _____ and Dennis T. Disrud. 1969. Wetland vegetation of the Turtle Mountains, North Dakota. Prairie Nat. 1(2): 19-30.

110. _____ 1965. A study of plant succession in the sandhills of southeastern North Dakota. Proc. N. Dak. Acad. Sci. 19: 62-80.

111. Burzlaff, D. F. 1960. Soil as a factor influencing distribution of vegetation in the Sandhills of Nebraska. Ph.D. Thesis. Utah State Univ., Logan.

112. _____ 1962. A soil and vegetation inventory and analysis of three Nebraska Sandhills range sites. Nebr. Agr. Expt. Sta. Bull. 206. 33 p.

113. _____ and Lionel Harris. 1969. Yearling steer gains and vegetation changes of western Nebraska rangeland under three rates of stocking. Univ. Nebr. Agr. Expt. Sta. Bull. 505. 18 p.

114. Buss, I. O. 1956. Plant succession on a sand plain, northwest Wisconsin, Trans. Wis. Acad. Sci. 45: 11-20.

115. Butler, J. E. 1954. Interrelations of autoecological characteristics of prairie herbs. Ph.D. Thesis. Univ. of Wis., Madison.

116. Butters, F. K., and E. C. Abbe. 1953. A floristic study of Cook County, northeastern Minnesota. Rhodora 55: 21-55, 63-101, 116-154, 161-201.

117. Buttrick, P. L. 1914. The probable origin of the forests of the Black Hills of South Dakota. Forest. Q. 12: 223-227.

118. Cain, Stanley A. 1928. Plant succession and ecological history of a central Indiana swamp. Bot. Gaz. 86: 384-401.

119. _____ 1932. Studies on virgin hardwood forest. I. Density and frequency of the woody plants of Donaldson's Woods, Lawrence County, Indiana. Proc. Ind. Acad. Sci. 41: 105-122.

120. _____ 1934. Studies on virgin hardwood forest. II. A comparison of quadrat sizes in a quantitative phytosociological study of Nash Woods, Posey County, Indiana. Amer. Midl. Nat. 15: 529-566.

121. _____ 1935. Studies on virgin hardwood forest. III. Warren's Woods, a beech-maple climax forest in Berrien County, Michigan. Ecology 16: 500-513.

122. _____ and R. C. Friesner. 1929. Soil reaction and plant distribution in the Sycamore Creek region. Butler Univ. Bot. Studies 1: 17-28.

123. _____ and J. V. Slater. 1948. The vegetation of Sodon Lake. Amer. Midl. Nat. 40: 741-762.

124. Carpenter, J. R. 1935. Fluctuations in biotic communities. I. Prairie-forest ecotone of central Illinois. Ecology 16: 203-216.

125. _____ 1940. The grassland biome. Ecol. Monographs 10: 617-683 (selected portions).

126. Catenhusen, J. 1950. Secondary successions on the peat lands of Glacial Lake, Wisconsin. Trans. Wis. Acad. Sci. 40: 29-48.

127. Cawley, Edward T. 1960. A phytosociological study of the effects of grazing on southern Wisconsin woodlots. Ph.D. Thesis. Univ. of Wis., Madison.

128. Chamberlain, T. C. 1877. Native vegetation of eastern Wisconsin. In Geol. of Wis. 2: 176-187.

129. Chapman, A. G. 1937. An ecological basis for reforestation of submarginal lands in the central hardwood region. Ecology 18: 93-105.

130. _____ 1942. Forests of the Illinoian till plain of southeastern Indiana. Ecology 23: 189-198.

131. Chavannes, Elizabeth. 1940. The steep prairies of southwestern Wisconsin and their invasion by forest. Ph.D. Thesis. Univ. of Wis., Madison.

132. Christensen, E. M. 1954. A phytosociological study of the winter range of deer of northern Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

133. _____ J. J. Clausen, and J. T. Curtis. 1959. Phytosociology of the lowland forests of northern Wisconsin. Amer. Midl. Nat. 62: 232-247.

134. Clausen, J. Johanna. 1955. A phytosociological ordination of the conifer swamps of Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

135. _____ 1957. A phytosociological ordination of the conifer swamps of Wisconsin. Ecology 38: 638-645.

136. Clements, F. E., J. E. Weaver, and H. C. Hanson. 1929. Competition in the ecotone between woodland and prairie. In Plant Competition. Carnegie Inst. Wash. P. 398.

137. Conard, E. C., and V. H. Arthaud. 1957. Effect of time of cutting on yield and botanical composition of prairie hay in southeastern Nebraska. Nebr. Agr. Expt. Sta. Res. Bull. 184. 36 p.

138. Conard, H. S. 1932. A boreal moss community. Proc. Iowa Acad. Sci. 39: 57-61.

139. _____ 1938. The fir forests of Iowa. Proc. Iowa Acad. Sci. 45: 69-72.

140. _____ 1952. The vegetation of Iowa. State Univ. Iowa Studies in Nat. Hist. 19: 1-66.

141. Conway, Verona M. 1949. The bogs of central Minnesota. Ecol. Monographs 19: 173-206.

142. Coons, G. H. 1911. Ecological relations of the flora. Sand dune region on the south shore of Saginaw Bay, Michigan. Mich. Geol. and Biol. Survey P. Ser. 2, 4: 35-64.

143. Cooper, A. W. 1961. Relationships between plant life-forms and microclimate in southeastern Michigan. Ecol. Monographs 31: 31-59.

144. Cooper, W. S. 1913. The climax forest of Isle Royale, Lake Superior, and its development. Bot. Gaz. 55: 1-44; 115-140; 189-235.

145. _____ 1928. Seventeen years of successional change upon Isle Royale, Lake Superior. Ecology 9: 1-5.

146. _____ and H. Foot. 1932. Reconstruction of a late Pleistocene biotic community in Minneapolis, Minnesota. Ecology 13: 63-72.

147. Cornelius, D.R. 1944. Revegetation in the tall grass prairie region. J. Amer. Soc. Agron. 36: 393-400.

148. Corson, C. W., J. H. Allison, and E. G. Cheyney. 1929. Factors controlling forest types in the Cloquet Forest, Minnesota. Ecology 10: 112-125.

149. Cosby, Hugh E. 1960. Rings on the range. J. Range Mangt. 13: 283-288.

150. _____ 1964. Some yield characteristics of range as influenced by soil type and weather. J. Range Mangt. 17: 266-269.

151. _____ 1965. Fescue grassland in North Dakota. J. Range Mangt. 18: 284-285.

152. Costello, D. F. 1931. Comparative study of river bluff succession on Iowa and Nebraska sides of the Missouri River. Bot. Gaz. 91: 295-307.

153. _____ 1936. Tussock meadows in southeastern Wisconsin. Bot. Gaz. 97: 610-648.

154. Cottam, Grant. 1949. The phytosociology of an oak woods in southern Wisconsin. Ecology 30: 271-287.

155. _____ and H. Cameron Wilson. 1966. Community dynamics on an artificial prairie. Ecology 47: 88-96.

156. Coupland, Robert T. 1958. The effects of fluctuations in weather upon the grasslands of the Great Plains. Bot. Rev. 24(5): 274-317 (selected portions).

157. _____ 1961. A reconsideration of grassland classification in the northern Great Plains of North America. J. Ecol. 49: 135-167 (selected portions).

158. Cowles, H. C. 1899. The ecological relations of the vegetation on the sand dunes of Lake Michigan. Bot. Gaz. 27: 95-117, 167-202, 281-308, 361-391.

159. _____ 1901a. The physiographic ecology of Chicago and vicinity; a study of the origin, development and classification of plant societies. Bot. Gaz. 31: 145-182.

160. _____ 1901b. The plant societies of Chicago and vicinity. Geog. Soc. Chicago Bull. 2: 13-76.

161. Crankshaw, W. B. 1964. Edaphology of tree species in presettlement Indiana south of the Late Wisconsin glacial border. Ph.D. Thesis. Purdue Univ., Lafayette.

162. Cratty, R. I. 1929. The immigrant flora of Iowa. Iowa State Col. J. Sci. 3: 247-269.

163. Cressler, Lawrence. 1942. The effect of different intensities and times of grazing and the degree of dusting upon the vegetation of rangeland in west-central Kansas. Trans. Kans. Acad. Sci. 45: 75-91.

164. Culbertson, W. L. 1955. The corticolous communities of lichens and bryophytes in the upland forests of northern Wisconsin. Ecol. Monographs 25: 215-231.

165. Curtis, J. T. 1955. A prairie continuum in Wisconsin. Ecology 36: 558-566.

166. _____ 1956. The modification of mid-latitude grasslands and forests by man. In Thomas, W. L. (ed.). Man's role in changing the face of the earth, p. 721-736. Univ. Chicago Press, Chicago.

167. _____ 1959. The vegetation of Wisconsin. Univ. Wis. Press., Madison. 657 pp.

168. _____ and H. C. Green. 1949. A study of the relic Wisconsin prairies by the species-presence method. Ecology 30: 83-92.

169. R. P. McIntosh.1951. An upland forest continuum in the prairie-forest border region of Wisconsin. Ecology 32: 476-496.

170. _____ and M. L. Partch. 1948. Effects of fire on the competition between bluegrass and certain prairie plants. Amer. Midl. Nat. 39: 437-443.

171. Cushing, E. J. 1963. Late-Wisconsin pollen stratigraphy in east-central Minnesota. Ph.D. Thesis. Univ. of Minn., Minneapolis. 165 p.

172. _____ 1967. Late-Wisconsin pollen stratigraphy and the glacial sequence in Minnesota. *In* E. J. Cushing and H. E. Wright, Jr. (ed.). Quaternary paleoecology, p. 59-88. Yale Univ. Press., New Haven.

173. Dachnowski, A. P. 1925. Profiles of peatlands within limits of extinct Lakes Agassiz and Wisconsin. Bot. Gaz. 80: 345-366.

174. Dahlman, Roger C., and Clair L. Kucera. 1965. Root productivity and turnover in native prairie. Ecology 46: 84-89.

175. Darland, R. W., and J. E. Weaver. 1945. Yields and consumption of forage in three pasture types: An ecological analysis. Univ. Nebr. Conserv. and Survey Div. Bull. 27. 76 p.

176. Darlington, Henry T. 1931. Vegetation of the Porcupine Mountains, Northern Michigan. Papers Mich. Acad. Sci. 13: 9-65.

177. _____ 1940. Some vegetational aspects of Beaver Island, Lake Michigan. Papers Mich. Acad. Sci. 25: 31-37.

178. Daubenmire, R. F. 1930. The relation of certain ecological factors to the inhibition of forest floor herbs under hemlock. Butler Univ. Bot. Studies 1: 61-76.

179. _____ 1931. Factors favoring the persistence of a relic association of eastern hemlock in Indiana. Butler Univ. Bot. Studies 2: 29-32.

180. _____ 1936. The "Big Woods" of Minnesota, its structure and relation to climate, fire, and soils. Ecol. Monographs 6: 233-268.

181. Day, R. K., and D. Den Uyl. 1932. Studies in Indiana farmwoods. I. Natural regeneration of farmwoods following the exclusion of livestock. Ind. Agr. Expt. Sta. Bull. 368. 48 p.

182. Den Uyl, D., O. D. Diller, and R. K. Day. 1938. The development of natural reproduction in previously grazed farmwoods. Ind. Agr. Expt. Sta. Bull. 431. 28 p.

183. Dietz, H. 1953. Variation in yield, cover, and composition of vegetation on a mixed prairie in west-central Kansas. M.S. Thesis, Ft. Hays, Kans., State Col.

184. Diller, Oliver D. 1937. The forage cover in heavily grazed farmwoods in northern Indiana. J. Amer. Soc. Agron. 29: 924-933.

185. Dix. R. L. 1955. Phytosociological changes on the thin-soil prairies of Wisconsin under the influence of grazing. Ph.D. Thesis. Univ. of Wis., Madison.

186. _____ 1958. Some slope-plant relationships in the grasslands of the Little Missouri badlands of North Dakota. J. Range Mangt. 11: 88-92.

187. _____ 1959. The influence of grazing on the thin-soil prairies of Wisconsin. Ecology 40: 36-49.

188. _____ 1960. The effects of burning on mulch structure and species composition of grasslands in western North Dakota. Ecology 41: 49-56.

189. _____ and J. E. Butler. 1954. The effects of fire on a dry, thin-soil prairie in Wisconsin. J. Range Mangt. 7: 265-268.

190. _____ and J. E. Butler. 1960. A phytosociological study of a small prairie in Wisconsin. Ecology 41: 316-327.

191. _____ and F. E. Smeins. 1967. The prairie, meadow, and marsh vegetation of Nelson County, North Dakota. Canad. J. Bot. 45: 21-58.

192. Doell, J. H. 1938. The flora of the sandhills of Harvey County, Kansas. Univ. Kans. Sci. Bull. 25: 113-147.

193. Drew, W. B. 1942. The revegetation of abandoned cropland in the Cedar Creek area, Boone and Calloway Counties, Missouri. Mo. Agr. Expt. Sta. Res. Bull. 344. 52 p.

194. _____ 1947. Floristic composition of grazed and ungrazed prairie vegetation in north-central Missouri. Ecology 28: 26-41.

195. Duncan, D. P. 1954. A study of some of the factors affecting natural regeneration of tamarack in Minnesota. Ecology 35: 498-521.

196. Duncan, W. E. 1935. Root systems of woody plants of old fields in Indiana. Ecology 16: 554-567.

197. Eggler, W. A. 1938. The maple-basswood forest type in Washburn County, Wisconsin. Ecology 19: 243-263.

198. Ehrenreich, J. H. 1957. Management practices for maintenance of native prairie in Iowa. Ph.D. Thesis. Iowa State Univ., Ames. 159 p.

199. _____ 1959. Effect of burning and clipping on growth of native prairie in Iowa. J. Range Mangt. 12: 133-137.

200. _____ and John M. Aikman. 1963. An ecological study of the effects of certain management practices on native prairie in Iowa. Ecol. Monographs 33: 113-130.

201. Eilers, L. J. 1968. The remnant prairie flora in northeast Iowa. Proc. Iowa Acad. Sci. 73: 32-43.

202. Ellarson, R. S. 1949. The vegetation of Dane County, Wisconsin in 1835. Trans. Wis. Acad. Sci. 39: 21-45.

203. Elliot, J. C. 1953. Composition of upland second growth hardwood stands in the tension zone of Michigan as affected by soils and man. Ecol. Monographs 23: 271-288.

204. Engelhardt, D. W. 1965. A comparative pollen study of two early Wisconsin bogs in Indiana. Proc. Ind. Acad. Sci. 69: 110-118.

205. Esten, M. M. 1932. A statistical study of a beech-maple association at Turkey Run State Park, Parke County, Indiana. Butler Univ. Bot. Studies 2: 183-201.

206. Erickson, R. O., L. G. Brenner, and J. Wraight. 1942. Dolomitic glades of east-central Missouri. Ann. Mo. Bot. Gard. 29: 89-101.

207. Evans, F. C., and S. A. Cain. 1952. Preliminary studies on the vegetation of an old field community in southeastern Michigan. Contrib. Lab. Vertebrate Biol., Univ. Mich. 51: 1-17.

208. _____ and E. Dahl. 1955. The vegetational structure of an abandoned field in southeastern Michigan and its relation to environmental factors. Ecology 36: 685-706.

209. Evers, R. A. 1952. Hill prairies in Illinois. Ph.D. Thesis. Univ. of Ill., Urbana.

210. _____ 1955. The hill prairies of Illinois. Bull. Ill. Nat. Hist. Survey 26: 368-446.

211. Ewing, J. 1924. Plant successions of the brush-prairie in northwestern Minnesota. J. Ecol. 12: 238-267.

212. Fassett, N. C. 1929. Preliminary reports on the flora of Wisconsin. Trans. Wis. Acad. Sci. 24: 249-268.

213. _____ 1944. Vegetation of the Brule Basin, past and present. Trans. Wis. Acad. Sci. 36: 33-56.

214. Fichter, E. 1954. An ecological study of invertebrates of grassland deciduous scrub savanna in eastern Nebraska. Amer. Midl. Nat. 51: 321-439.

215. Finley, R. W. 1951. The original vegetation cover of Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

216. _____ and J. E. Potzger. 1952. Characteristics of the original vegetation in some prairie counties of Indiana. Butler Univ. Bot. Studies 10: 114-118.

217. Fitch, Henry S., and Ronald L. McGregor. 1956. The forest habitat of the University of Kansas Natural History Reservation. Univ. Kans. P. 10(3): 79-127.

218. Flaccus, Edward, and Lewis F. Ohman. 1964. Old-growth northern hardwood forests of northeastern Minnesota. Ecology 45: 448-459.

219. Flesland, James R., and Warren C. Whitman. 1964. A vegetational analysis of the salt-desert shrub type in western North Dakota. Proc. N. Dak. Acad. Sci. 18: 73-75.

220. Florell, V. H. 1937. Native grasslands in the Huron (South Dakota) area. J. Amer. Soc. Agron. 29: 403-411.

221. Flory, E. L. 1936. Comparison of the environment and some physiological responses of prairie vegetation and cultivated maize. Ecology 17: 67-103.

222. Fosberg, M. A. 1949. Soil and site condition typical of the maple-basswood association in southern Wisconsin. M. S. Thesis. Univ. of Wis., Madison.

223. Franks, James W., and Harold H. Hopkins. 1954. Upland depressions in a mixed prairie. Trans. Kans. Acad. Sci. 57: 48-54.

224. Freckman, R. W. 1968. The prairie remnants of the Ames area. Proc. Iowa Acad. Sci. 73: 126-136.

225. Fredricksen, M. T. 1938. Comparison of the environment and certain physiological activities of alfalfa and prairie vegetation. Amer. Midl. Nat. 20: 641-681.

226. Fries, Magnus. 1962. Pollen profiles of late Pleistocene and recent sediments at Weber Lake, northeastern Minnesota. Ecology 43: 295-308.

227. Friesner, Ray C. 1937. Indiana as a critical botanical area. Proc. Ind. Acad. Sci. 46: 28-45.

228. _____ and Charles M. Ek. 1944. Correlation of microclimatic factors with species distribution in Shenk's Woods, Howard County, Indiana. Butler Univ. Bot. Studies 6: 87-101.

229. _____ and J. E. Potzger. 1932a. Studies in forest ecology. I. Factors concerned in hemlock reproduction in Indiana. Butler Univ. Bot. Studies 2: 133-144.

230. _____ and J. E. Potzger. 1932b. Studies in forest ecology. II. The ecological significance of *Tsuga canadensis* in Indiana. Butler Univ. Bot. Studies 2: 145-149.

231. _____ and J. E. Potzger. 1934. Climax conditions and ecological status of *Pinus strobus, Taxus canadensis* and *Tsuga canadensis* in the Pine Hills region of Indiana. Butler Univ. Bot. Studies 3: 65-83.

232. _____ and J. E. Potzger. 1936. Soil moisture and the nature of the *Tsuga* and *Tsuga-Pinus* forest associations in Indiana. Butler Univ. Bot. Studies 3: 206-209.

233. _____ and J. E. Potzger. 1937. Contrasts in certain physical factors in *Fagus-Acer* and *Quercus-Carya* communities in Brown and Bartholomew Counties, Indiana. Butler Univ. Bot. Studies 4: 1-12.

234. _____ and J. E. Potzger. 1944. Survival of hemlock seedlings in a relict colony under forest conditions. Butler Univ. Bot. Studies 6: 102-115.

235. Frolick, A. L. 1941. Vegetation of the peat lands of Dane County, Wisconsin. Ecol. Monographs 11: 117-140.

236. _____ and F. D. Keim. 1933. Native vegetation in the prairie hay district of north central Nebraska. Ecology 14: 298-305.

237. _____ and W. O. Shepherd. 1940. Vegetative composition and grazing capacity of a typical area of Nebraska sandhill range land. Univ. Nebr. Agr. Expt. Sta. Res. Bull. 117.

238. Fuller, George D. 1935. Postglacial vegetation of the Lake Michigan region. Ecology 16: 473-488.

239. _____ and P. D. Strausbaugh. 1919. On the forests of LaSalle County, Illinois. Trans. Ill. Acad. Sci. 12: 246-272.

240. Gates, F. C. 1912a. The vegetation of the beach area in northeastern Illinois and southeastern Wisconsin. Bull. Ill. Lab. Nat. Hist. 9: 255-272.

241. _____ 1912b. The vegetation of the region in the vicinity of Douglas Lake, Cheboygan County, Michigan. Annu. Rpt. Mich. Acad. Sci. 14: 46-106.

242. _____ 1926. Plant succession about Douglas Lake, Cheboygan County, Michigan. Bot. Gaz. 82: 170-182.

243. _____ 1930. Aspen association in northern Lower Michigan. Bot. Gaz. 90: 233-259.

244. _____ 1939. Trends of tree migration in Kansas. Trans. Kans. Acad. Sci. 42: 127-132.

245. _____ 1942. The bogs of northern Lower Michigan. Ecol. Monographs 12: 213-254.

246. Getz, Lowell L. 1960. Standing crops of herbaceous vegetation in southern Michigan. Ecology 41: 393-395.

247. Gilbert, M. L. 1953. The phytosociology of the understory vegetation of the upland forests of Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

248. _____ and J. T. Curtis. 1953. Relation of the understory of the upland forest in the prairie-forest border region of Wisconsin. Trans. Wis. Acad. Sci. 42: 183-195.

249. Gleason, H. A. 1907. On the biology of the sand areas of Illinois. II. A botanical survey of the Illinois River Valley sand region. Bull. Ill. Lab. Nat. Hist. 7: 149-194.

250. _____ 1909. Some unsolved problems of the prairie. Bull. Torrey Bot. Club 36: 265-271.

251. _____ 1910. The vegetation of the inland sand deposits of Illinois. Bull. Ill. Lab. Nat. Hist. 9: 23-174.

252. _____ 1912. An isolated prairie grove

and its phytogeographical significance. Bot. Gaz. 53: 38-49.

253. _____ 1913. The relation of forest distribution and prairie fires in the Middle West. Torreya 13: 173-181.

254. _____ 1917. A prairie near Ann Arbor, Michigan. Rhodora 19: 163-165.

255. _____ 1918. On the development of two plant associations of northern Michigan. Plant World 21: 151-158.

256. _____ 1923. The vegetational history of the Middle West. Ann. Assoc. Amer. Geographers 12: 39-85.

257. _____ 1925. The structure of the maple-beech association in northern Michigan. Papers Mich. Acad. Sci. 4: 285-296.

258. Glover, Robert K., G. W. Tomanek, and Gale. L. Wolters. 1967. Soil and vegetation relationships on four slopes of the Ogallala Formation in Trego County, Kansas. Trans. Kans. Acad. Sci. 71: 69-84.

259. Goder, H. A. 1955. A phytosociological study of *Tsuga canadensis* near the termination of its range in Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

260. _____ 1956. Presettlement vegetation of Racine County, Wisconsin. Trans. Wis. Acad. Sci. 45: 169-176.

261. Goetz, Harold. 1968. Vegetation and soil responses to nitrogen fertilization on different range sites. M.S. Thesis. N. Dak. State Univ., Fargo.

262. _____ 1969. Composition and yields of native grassland sites fertilized at different rates of nitrogen. J. Range Mangt. 22: 384-390.

263. Goff, F. G. 1966. Dynamic relations in Wisconsin upland forests. Ph.D. Thesis. Univ. Wis., Madison.

264. _____ and Paul H. Zedler. 1968. Structural gradient analysis of upland forests in the western Great Lakes area. Ecol. Monographs 38: 65-86.

265. Gooding, A. M., and J. G. Ogden III. 1965. A radio-carbon dated pollen sequence from the Wells mastodon site near Rochester, Indiana. Ohio J. Sci. 65: 1-11.

266. Gordon, R. B. 1936. A preliminary vegetation map of Indiana. Amer. Midl. Nat. 17: 866-877.

267. Gould. F. W. 1937. The present status of Dane County prairie flora. M.S. Thesis. Univ. of Wis., Madison.

268. _____ 1941. Plant indicators of original Wisconsin prairies. Ecology 22: 427-429.

269. Graham, S. A. 1941. Climax forests of the upper peninsula of Michigan. Ecology 22: 355-362.

270. _____ 1954. Changes in Michigan forests from browsing by deer. Trans. North Amer. Wildlife Conf. 19: 526-533.

271. Grant, M. L. 1934. The climax forest community in Itasca County, Minnesota, and its bearing upon the successional status of the pine community. Ecology 15: 243-257.

272. Grayson, John F. 1954. Evidence of four pine species from fossil pollen in Michigan. Ecology 35: 327-331.

273. Green, H. C., and J. T. Curtis. 1953. The re-establishment of prairie in the University of Wisconsin Arboretum. Wild Flower 29: 77-88.

274. Green, Phoebe. 1950. Ecological composition of high prairie relics in Rock County, Wisconsin. Trans. Wis. Acad. Sci. 40: 159-172.

275. Griswold, Sherwin B. 1942. A study of the woody plants along the streams which cross Ellis County, Kansas. Trans. Kans. Acad. Sci. 45: 98-106.

276. Habeck, J. R. 1959. A vegetational study of the central Wisconsin winter deer range. J. Wildlife Mangt. 23: 273-278.

277. Hadley, E. B., and R. P. Buccos. 1967. Plant community composition and net primary production within a native eastern North Dakota prairie. Amer. Midl. Nat. 77(1): 116-127.

278. Hadley, Elmer B. 1970. Net productivity and burning response of native North Dakota prairie

communities. Amer. Midl. Nat. 84: 121-135.

279. _____ and Barbara J. Kieckhefer. 1963. Productivity of two prairie grasses in relation to fire frequency. Ecology 44: 389-395.

280. Hale, M. E., Jr. 1955. Phytosociology of corticolous cryptograms in the upland forests of southern Wisconsin. Ecology 36: 45-63.

281. _____ 1955. A survey of upland forests in the Chautauqa Hills, Kansas. Trans. Kans. Acad. Sci. 58: 165-168.

282. Hansen, H. P. 1933. Tamarack bogs of the driftless area of Wisconsin. Bull. Milwaukee Pub. Mus. 7: 231-304.

283. _____ 1937. Pollen analysis of two Wisconsin bogs of different ages. Ecology 18: 136-148.

284. _____ 1939. Postglacial vegetation of the driftless areas of Wisconsin. Amer. Midl. Nat. 21: 752-762.

285. Hanson, H. C. 1922. Prairie inclusions in the deciduous forest. Amer. J. Bot. 9: 330-337.

286. _____ and Warren Whitman. 1937. Plant succession on solonetz soils in western North Dakota. Ecology 18: 516-522.

287. _____ and Warren Whitman. 1938. Characteristics of major grassland types in western North Dakota. Ecol. Monographs 8: 57-114.

288. Harper, K. T. 1963. Structure and dynamics of sugar maple-basswood forests of southern Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

289. Hart, C. A., and H. A. Gleason. 1907. On the biology of the sand areas of Illinois. Bull. Ill. Lab. Nat. Hist. 7: 137-267.

290. Harvey, L. H. 1908. Floral succession in the prairie-grass formation of southeastern South Dakota. Bot. Gaz. 46: 81-108, 277-298.

291. _____ 1922. Yellow-white pine formation at Little Manistee, Michigan. Bot. Gaz. 73: 26-43.

292. Hayden, A. 1919. The ecological subterranean anatomy of some plants of the prairie province of central Iowa. Amer. J. Bot. 6: 87-105.

293. _____ 1943. A botanical survey in the Iowa lake region of Clay and Palo Alto Counties. Iowa State Col. J. Sci. 17: 277-416.

294. _____ 1946. A progress report on the preservation of prairie. Proc. Iowa Acad. Sci. 53: 45-82.

295. Hayes, B. N. 1964. An ecological study of a wet prairie on Harsen's Island, Michigan. Mich. Bot. 3: 71-82.

296. Hayward, H. E. 1928. Studies of plants in the Black Hills of South Dakota. Bot. Gaz. 85: 353-412.

297. Heinselman, M. L. 1961. Black spruce on the peatlands of former glacial Lake Agassiz and adjacent areas in Minnesota: A study of forest sites, bog processes, and bog types. Ph.D. Thesis. Univ. of Minn., Minneapolis.

298. _____ 1963. Forest sites, bog processes, and peatland types in the glacial Lake Agassiz region, Minnesota. Ecol. Monographs 33: 327-374.

299. _____ 1965. String bogs and other patterned organic terrain near Seney, Upper Michigan. Ecology 46: 185-188.

300. _____ and E. I. Roe. 1963. A record of some pleistocene trees and shrubs from Itasca County, Minnesota. Forest Sci. 9: 336-337.

301. Hensel, R. L. 1923a. Effects of burning on vegetation in Kansas pastures. J. Agr. Res. 23: 631-643.

302. _____ 1923b. Recent studies on the effect of burning on grassland vegetation. Ecology 4: 183-188.

303. Herbel, Carlton H. 1954. The effects of date of burning on native Flint Hills rangeland. M.S. Thesis. Kans. State Univ., Manhattan.

304. _____ and Kling L. Anderson. 1959. Response of true prairie vegetation on major Flint

Hills range sites to grazing treatment. Ecol. Monographs 29: 171-186.

305. Hetzer, W. A., and R. L. McGregor. 1951. An ecological study of prairie and pasture lands in Douglas and Franklin Counties, Kansas. Trans. Kans. Acad. Sci. 54: 356-369.

306. Hewes, Leslie. 1951. The northern wet prairie of the United States: Nature, sources of information, and extent. Ann. Assoc. Amer. Geographers 41: 307-323.

307. Hitchcock, A. S. 1898. Ecological plant geography of Kansas. Trans. Kans. Acad. Sci. 8: 55-69.

308. Hopkins, H. H. 1951. Ecology of the native vegetation of the loess hills in central Nebraska. Ecol. Monographs 21: 125-147.

309. _____ 1952. Native vegetation of the Loess Hills-Sandhills ecotone in central Nebraska. Trans. Kans. Acad. Sci. 55: 267-277.

310. _____ 1956. Effects of mulch on yield and cover in mixed prairie. Trans. Kans. Acad. Sci. 59: 71-75.

311. _____ F. W. Albertson, and A. Riegel. 1948. Some effects of burning upon a prairie in west-central Kansas. Trans. Kans. Acad. Sci. 51: 131-141.

312. _____ F. W. Albertson, and A. Riegel. 1952. Ecology of grassland utilization in a mixed prairie. Trans. Kans. Acad. Sci. 55: 395-418.

313. _____ and G. W. Tomanek. 1957. A study of woody vegetation at Cedar Bluff Reservoir. Trans. Kans. Acad. Sci. 60: 351-359.

314. Horr, W. H. 1955. A pollen profile study of the Muscotah Marsh. Univ. Kans. Sci. Bull. 37: 143-150.

315. Hosner, John F., and L. S. Minckler. 1963. Bottomland hardwood forests of southern Illinois—regeneration and succession. Ecology 44: 29-41.

316. Houdek, P. K. 1932. Pollen statistics from two Indiana bogs. Proc. Ind. Acad. Sci. 42: 73-77.

317. _____ 1935. Pollen statistics from two bogs in southwestern Michigan. Papers Mich. Acad. Sci. 20: 49-56.

318. Howell, D. L., and C. L. Kucera. 1956. Composition of presettlement forest in three counties of Missouri. Bull. Torrey Bot. Club 83: 207-217.

319. Howell, John W. 1938. A fossil pollen study of Kokomo Bog, Howard County, Indiana. Butler Univ. Bot. Studies 4: 117-127.

320. Hulett, Gary K. 1959. Study of vegetation within and surrounding long-established exclosures. M.S. Thesis. Ft. Hays, Kans., State Col.

321. _____ and G. W. Tomanek. 1969a. Remnant prairies on the shallow limy range site in north central Kansas. J. Range Mangt. 22: 19-23.

322. _____ and G. W. Tomanek. 1969b. Forage production on a clay upland range site in western Kansas. J. Range Mangt. 22: 270-276.

323. Hus, Henri. 1908. An ecological cross section of the Mississippi River in the region of St. Louis, Missouri. Ann. Mo. Bot. Gard. 19: 127-258.

324. Janssen, C. R. 1966. Recent pollen spectra from the deciduous and coniferous-deciduous forests of northeastern Minnesota: A study in pollen dispersal. Ecology 47: 804-825.

325. _____ 1967a. A floristic study of forests and bog vegetation, northwestern Minnesota. Ecol. Monographs 48: 751-765.

326. _____ 1967b. Stevens pond: A post-glacial pollen diagram from a small *Typha* swamp in northwestern Minnesota, interpreted from pollen indicators and surface samples. Ecol. Monographs 37: 145-172.

327. Jantzen, P. G. 1960. The ecology of a boggy marsh in Safford County, Kansas. (Kans. State Teachers Col., Emporia.) Emporia State Res. Studies 9: 1-46.

328. Jelgersma, Saskia. 1962. A late glacial pollen diagram from Madelia, south-central Minnesota. Amer. J. Sci. 260: 522-529.

329. Jensen, Peter N., and C. M. Schumacher. 1969. Changes in prairie composition. J. Range Mangt. 22: 57-60.

330. Johnson, Leslie E., L. R. Albee, R. O. Smith, and A. L. Moxon. 1951. Cows, calves, and grass. S. Dak. Agr. Expt. Sta. Bull. 412. 39 p.

331. Johnson, William F. 1968. Lowland brush in clear-cut spruce swamps develops from residual vegetation–not from invasion. J. Forestry 66: 566-567.

332. Jones, J. Johanna. 1952. A survey of fifteen forest stands in the early Wisconsin drift plain in Indiana. Butler Univ. Bot. Studies 10: 182-204.

333. _____ 1955. Conifer swamps in Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

334. Juday, Chancey. 1942. The summerstanding crop of plants and animals in four Wisconsin lakes. Trans. Wis. Acad. Sci. 34: 103-135.

335. Judd, B. I. 1939. Plant succession on scoria buttes of western North Dakota. Ecology 20: 335-336.

336. _____ and M. L. Jackson. 1939. Natural succession of vegetation on abandoned farm lands in the Rosebud soil area of western Nebraska. J. Amer. Soc. Agron. 31: 541-557.

337. _____ and M. D. Weldon. 1930. Some changes in the soil during natural succession of vegetation after abandonment in western Nebraska. J. Amer. Soc. Agron. 31: 217-228.

338. Kapp, R. O. 1965. Illinoian and Sangamon vegetation in southwestern Kansas and adjacent Oklahoma. Univ. Mich. Mus. Paleontol, Contrib. 19(14): 167-255.

339. Kell, L. L. 1938. The effect of the moisture-retaining capacity of soils on forest succession in Itasca Park, Minnesota. Amer. Midl. Nat. 20: 682-694.

340. Keller, Carl O. 1946. An ecological study of the Klein Woods, Jennings County, Indiana. Butler Univ. Bot. Studies 8: 64-81.

341. Kenoyer, L. A. 1930. Ecological notes on Kalamazoo County, Michigan, based on the original land survey. Papers Mich. Acad. Sci. 11:211-218.

342. _____ 1934. Forest distribution in southwestern Michigan as interpreted from the original land survey (1826-1832). Papers Mich. Acad. Sci. 19: 107-111.

343. Kilburn, Paul D. 1957. Historical development and structure of the aspen, jack pine, and oak vegetation types on sandy soils in northern Lower Michigan. Ph.D. Thesis. Univ. of Mich., Ann Arbor.

344. Kittredge, Joseph. 1934. Evidence of the rate of forest succession on Star Island, Minnesota. Ecology 15: 24-35.

345. _____ 1938. The interrelations of habitat, growth rate, and associated vegetation in the aspen community of Minnesota and Wisconsin. Ecol. Monographs 8: 151-246.

346. _____ and A. K. Chittenden. 1929. Oak forests of Northern Michigan. Mich. Agr. Expt. Sta. Spec. Bull. 190. 47 p.

347. Knapp, J. G. 1871. The native vegetation of Wisconsin. Trans. Wis. State Hort. Soc. 1: 119-125.

348. Knight, D. H. 1965. A gradient analysis of Wisconsin prairie vegetation on the basis of plant structure and function. Ecology 46: 744-747.

349. _____ and Orie L. Loucks. 1969. A quantitative analysis of Wisconsin forest vegetation on the basis of plant function and gross morphology. Ecology 50: 219-234.

350. Koelling, M. R., and C. K. Kucera. 1965a. Dry matter losses and mineral leaching in bluestem standing crop and litter. Ecology 46: 529-532.

351. _____ and C. K. Kucera. 1965b. Productivity and turnover relationships in native tallgrass prairie. Iowa State J. of Sci. 39: 387-392.

352. Kucera, C. L. 1952. An ecological study of a hardwood forest area in central Iowa. Ecol. Monographs 22: 283-299.

353. _____ 1956. Grazing effects on composition of virgin prairie in north-central Missouri. Ecology 37: 389-391.

354. _____ 1958. Some changes in the soil environment of a grazed prairie community in central Missouri. Ecology 39: 538-540.

355. _____ 1960. Forest encroachment in native prairie. Iowa State Col. J. Sci. 34: 635-640.

356. _____ Roger C. Dahlman, and Melvin R. Koelling. 1967. Total net productivity and turnover on an energy basis for tallgrass prairie. Ecology 48: 536-541.

357. _____ and John H. Ehrenreich. 1962. Some effects of annual burning on central Missouri prairie. Ecology 43: 334-336.

358. _____ John H. Ehrenreich, and Carl Brown. 1963. Some effects of fire on tree species in Missouri prairie. Iowa State Col. J. Sci. 38: 179-185.

359. _____ and Melvin Koelling. 1964. The influence of fire on composition of central Missouri prairie. Amer. Midl. Nat. 72: 142-147.

360. _____ and S. C. Martin. 1957. Vegetation and soil relationships in the glade region of the southwestern Missouri Ozarks. Ecology 38: 285-291.

361. _____ and R. E. McDermott. 1955. Sugar maple-basswood studies in the forest-prairie transition of central Missouri. Amer. Midl. Nat. 54: 495-503.

362. Kuehler, A. W. 1967. Some geographic features of the Kansas prairies. Trans. Kans. Acad. Sci. 70: 388-401.

363. Lacey, Marvin L. 1942. The effect of climate and different grazing and dusting intensities upon the yeild of short-grass prairies in western Kansas. Trans. Kans. Acad. Sci. 45: 111-123.

364. Lane, G. H. 1941. Pollen analysis of interglacial peats of Iowa. Iowa Geol. Survey 37: 233-262.

365. Larsen, J. A. 1953. A study of an invasion by red maple of an oak woods in southern Wisconsin. Amer. Midl. Nat. 49: 908-914.

366. Larson, Floyd. 1940. The role of the bison in maintaining the short grass plains. Ecology 21: 113-121.

367. _____ and W. Whitman. 1942. A comparison of used and unused grassland mesas in the Badlands of South Dakota. Ecology 23: 438-445.

368. Lathrop, Earl W. 1958. The flora and ecology of the Chautauqua Hills in Kansas. Univ. Kans. Sci. Bull. 39: 97-209.

369. Launchbaugh, J. L. 1957. The effect of stocking rate on cattle gains and on native shortgrass vegetation in west central Kansas. Kans. Agr. Expt. Sta. Bull. 394.

370. _____ 1964. Effect of early spring burning on yields of native vegetation. J. Range Mangt. 17: 5-6.

371. _____ 1967. Vegetation relationships associated with intensity of summer grazing on a clay upland range site in the Kansas 20-24 inch precipitation zone. Kans. Agr. Expt. Sta. Tech. Bull. 154. 24 p.

372. _____ 1969. Range condition classification based on regressions of herbage yields on summer stocking rates. J. Range Mangt. 22: 97-101.

373. Lee, M. B. 1945. An ecological study of the floodplain forest along the White River system in Indiana. Butler Univ. Bot. Studies 7: 155-165.

374. Lee, S. C. 1924. Factors controlling forest succession at Lake Itasca, Minnesota. Bot. Gaz. 78: 129-174.

375. Leisman, G. A. 1953. The rate of organic matter accumulation on the sedge mat zones of bogs in the Itasca State Park region of Minnesota. Ecology 34: 81-101.

376. _____ 1957a. A vegetation and soil chronosequence in the Mesabi Iron Range spoil banks, Minnesota. Ecol. Monographs 27: 221-245.

377. _____ 1957b. Further data on the rate of organic matter accumulation in bogs. Ecology 38: 361.

378. Leonard, A. Byron, and John C. Frye. 1954. Ecological conditions accompanying loess deposition

in the Great Plains region of the United States. J. Geol. 62(4): 399-404.

379. Leopold, Aldo, and Sara Elizabeth Jones. 1947. A phenological record for Sauk and Dane Counties, Wisconsin, 1935-1945. Ecol. Monographs 17: 81-122.

380. Lewis, James K., G. M. VanDyne, L. R. Albee, and F. W. Wetzal. 1956. Intensity of grazing: Its effect on livestock and forage production. S. Dak, Agr. Expt. Sta. Bull. 459. 44 p.

381. Lindeman, R. L. 1941. The developmental history of Cedar Creek Bog, Minnesota. Amer. Midl. Nat. 25: 101-112.

382. Lindsey, Alton A. 1961. Vegetation of the drainage-aeration classes of the northern Indiana soils in 1930. Ecology 42: 432-436.

383. _____ William B. Crankshaw, and Syed A. Qadir. 1965. Soil relations and distribution of the vegetation of presettlement Indiana. Bot. Gaz. 126: 155-163.

384. _____ R. O. Petty, D. K. Sterling, and W. Van Arsdall. 1961. Vegetation and environment along the Wabash and Tippecanoe Rivers. Ecol. Monographs 31: 105-156.

385. Linnel, Lyle D. 1961. Soil-vegetation relationships on a chalk-flat range site in Gove County, Kansas. Trans. Kans. Acad, Sci. 64: 293-303.

386. Lippert, Robert D., and Harold H. Hopkins. 1940. Study of viable seeds in various habitats in mixed prairie. Trans. Kans. Acad. Sci. 53: 355-364.

387. Livingston, B. E. 1902. The distribution of plant societies of Kent County, Michigan. Mich. Geol. Survey Rpt. 1901: 81-103.

388. _____ 1903. The distribution of the upland societies of Kent County, Michigan. Bot. Gaz. 35: 36-55.

389. _____ 1905. The relation of soils to natural vegetation in Roscommon and Crawford Counties, Michigan. Bot. Gaz. 39: 22-41.

390. Loomis, W. E., and A. L. McComb. 1944. Recent advances of the forest in Iowa. Proc. Iowa Acad. Sci. 51: 217-224.

391. Lueders, H. F. 1895. Vegetation of the Town Prairie du Sac. Trans. Wis. Acad. Sci. 10: 510-524.

392. Lunsford, L. C. 1963. Comparison of soils and vegetation on five undisturbed limy upland range sites in Ellis County, Kansas. M.S. Thesis. Ft. Hays, Kans., State Col.

393. MacMillan, C. 1897. Observations on the distribution of plants along shore at Lake of the Woods. Minn. Bot. Studies 1: 949-1023.

394. Maissurow, D. K. 1941. The role of fire in the perpetuation of virgin forests of northern Wisconsin. J. Forestry 39: 201-207.

395. Manning, Winston M., and Richard E. Juday. 1941. The chlorophyll content and productivity of some lakes in northeastern Wisconsin. Trans. Wis. Acad. Sci. 33: 363-393.

396. Markle, M. S. 1915. The phytoecology of peat bogs near Richmond, Indiana. Proc. Ind. Acad. Sci. p. 359-375.

397. Marks, John B. 1942. Land use and plant succession in Coon Valley, Wisconsin. Ecol. Monographs 12: 113-133.

398. Marshall, Ruth. 1910. The vegetation of Twin Island. Trans. Wis. Acad Sci. 16: 773-797.

399. Martin, S. C. 1955. Range problems in the Missouri Ozarks. Central States Forest Expt. Sta. Misc. Paper 9. 33 p.

400. _____ and J. S. Crosby. 1955. Burning and grazing on glade range in Missouri. Central States Forest Expt. Sta. Tech. Paper 147. 13 p.

401. Maycock, Paul F. 1961. The spruce-fir forests of Keweenaw Peninsula, Northern Michigan. Ecology 42: 357-365.

402. _____ and J. T. Curtis. 1960. The phytosociology of boreal-conifer hardwood forest of the Great Lakes region. Ecol. Monographs 30: 1-35.

403. McAndrews, J. H. 1966. Postglacial history of prairie, savanna, and forest in northwestern

Minnesota. Torrey Bot. Club Mem. 22(2): 536-541.

404. _____ 1967. Pollen analysis and vegetational history of the Itasca region, Minnesota, p. 219-236. In E. J. Cushing and H. E. Wright, Jr. (ed.). Quatenary Paleoecology. Yale Univ. Press., New Haven.

405. McComb, A. L., and W. E. Loomis. 1944. Subclimax prairie. Bull. Torrey Bot. Club 71: 46-76.

406. McCoy, S. 1939. A phytosociological study of the woody plants constituting 25-type forests of the Illinoian till plain of Indiana. Proc. Ind. Acad. Sci. 48: 50-66.

407. McDermott, R. E. 1954. Seeding tolerance as a factor in bottomland timber succession. Mo. Agr. Expt. Sta. Bull. 557.

408. McDougall, W. B. 1919. The forests of Vermilion County. Trans. Ill. State Acad. Sci. 12: 282-289.

409. _____ 1925. Forests and soils of Vermilion County, Illinois, with special reference to the "striplands." Ecology 6: 372-379.

410. McIntire, G. S. 1931. Theory and practice of forest typing, with special relation to the hardwood and hemlock associations of northern Michigan. Papers Mich. Acad. Sci. 15: 239-251.

411. McIntosh, Arthur C. 1931. A botanical survey of the Black Hills of South Dakota. Black Hills Engin. 19(3): 159-276.

412. McIntosh, R. P. 1950a. Pine stands in southwestern Wisconsin. Trans. Wis. Acad. Sci. 40: 243-257.

413. _____ 1950b. The phytosociology of the upland hardwood forest in southern Wisconsin. Ph.D. Thesis. Univ. Wis., Madison.

414. _____ 1957. The York Woods, a case history of forest succession in southern Wisconsin. Ecology 38: 29-37.

415. _____ 1962. Pattern in a forest community. Ecology 43: 25-33.

416. McLaughlin, W. T. 1932. Atlantic coastal plain plants in the sand barrens of northwestern Wisconsin. Ecol. Monographs 2: 335-383.

417. McMillan, Calvin. 1956. Nature of the plant community. I. Uniform garden and light period studies of five grass taxa in Nebraska. Ecology 37: 330-340.

418. _____ 1959a. Nature of the plant community. V. Variations within the true prairie community-type. Amer. J. Bot. 46: 418-424.

419. _____ 1959b. The role of ecotypic variation in the distribution of the central grassland of North America. Ecol. Monographs 29: 285-308.

420. McMurphy, W. E., and Kling L. Anderson. 1963. Burning bluestem range—forage yields. Trans. Kans. Acad. Sci. 66: 49-51.

421. _____ and Kling L. Anderson. 1965. Burning Flint Hills range. J. Range Mangt. 18: 265-269.

422. McQueeney, Carl R. 1950. An ecological study of the relationship between direction of slope, elevation, and forest cover in Brown County, Indiana. Butler Univ. Bot. Studies 9: 239-269.

423. Mehringer, Peter J. Jr., Charles E. Schweger, W. Raymond Wood, and R. Bruce McMillan. 1968. Late pleistocene boreal forest in the western Ozark Highlands. Ecology 49: 567-568.

424. Mentzer, L. W. 1951. Studies on plant succession in true prairie. Ecol. Monographs 21: 255-267.

425. Miller, R. B. 1923. First report on a forestry survey of Illinois. Ill. State Nat. Hist. Bull. 14: 291-377.

426. _____ and George D. Fuller. 1921. Forest conditions in Alexander County, Illinois. Trans. Ill. State Acad. Sci. 14: 1-17.

427. Modha, V. V. 1961. Vegetation cover, composition, and yield as influenced by soil, litter, and grazing intensity. M.S. Thesis. Ft. Hays, Kans., State Col.

428. Mohlenbrock, Robert H. 1959a. Plant communities in Jackson County, Illinois. Bull. Torrey Bot. Club 86: 109-119.

429. _____ 1959b. A floristic study of a southern Illinois swampy area. Ohio J. Sci. 59: 89-100.

430. Moir, D. R. 1957. An occurrence of buried coniferous wood in the Altamont Moraine in North Dakota. Proc. N. Dak. Acad. Sci. 11: 1-5.

431. Moyer, J. F. 1953. Ecology of native prairie in Iowa. Ph.D. Thesis. Iowa State Col., Ames. 110 p.

432. Moyer, L. R. 1910. The prairie flora of southwestern Minnesota. Bull. Minn. Acad. Sci. 4: 357-378.

433. Nelson, Jack R. 1961. Woody plant communities in the badlands of western North Dakota (Abstract). Proc. N. Dak. Acad. Sci. 15, 1961 meeting.

434. Nichols, J. T. 1961. Variations in vegetation and microclimate on north and south facing slopes in the mixed prairie near Hays, Kansas. M.S. Thesis. Ft. Hays, Kans., State Col.

435. _____ 1969. Range improvement practices on deteriorated dense clay wheatgrass range in western South Dakota. S. Dak. Agr. Expt. Sta. Bull 552. 23 p.

436. Nielson, Etlar L., and John B. Moyle. 1941. Forest invasion and succession on the basins of two catastrophically drained lakes in northern Minnesota. Amer. Midl. Nat. 25: 564-579.

437. Noll. W. C. 1939. Environment and physiological activities of winter wheat and prairie during extreme drought. Ecology 20: 479-506.

438. Olsen, Jerry S. 1958. Rates of succession and soil changes on southern Lake Michigan sand dunes. Bot. Gaz. 119: 125-170.

439. Orput, P. A., and J. T. Curtis. 1957. Soil microfungi in relation to the prairie continuum in Wisconsin. Ecology 38: 628-637.

440. Otto, James H. 1938. Forest succession in the southern limits of Early Wisconsin glaciation as indicated by a pollen spectrum from Bacon Swamp, Marion County, Indiana. Butler Univ. Bot. Studies 4: 93-116.

441. Ovington, J. D., Dale Heitkamp, and Donald B. Lawrence. 1963. Comparative plant biomass and productivity of prairie, savanna, oakwood, and maize field ecosystems. Ecology 44: 52-63.

442. Owensby, Clenton E., and Kling L. Anderson. 1967. Yield responses to time of burning. J. Range Mangt. 20: 12-16.

443. _____ Robert M. Hyde, and Kling L. Anderson. 1970. Effects of clipping and supplemental nitrogen and water on loamy upland bluestem range. J. Range Mangt. 23: 341-346.

444. Paintin, R. D. 1929. The morphology and nature of a prairie in Cook County, Illinois. Trans. Ill. Acad. Sci. 21: 152-175.

445. Pammel, L. H. 1902. Preliminary notes on the flora of western Iowa, especially from the physiographical ecological standpoint. Proc. Iowa Acad. Sci. 9: 152-180.

446. _____ 1905. A comparative study of the vegetation of swamp, clay, and sandstone areas in western Wisconsin, southeastern Minnesota, northeastern, central, and southeastern Iowa. Proc. Davenport Acad. Sci. 10: 32-126.

447. _____ 1909. Flora of Iowa peat bogs. Iowa Geol. Survey Annu. Rpt. (19). 1908. p. 735-778.

448. Parker, D. 1936. Affinities of the flora of Indiana. Amer. Midl. Nat. 17: 700-724.

449. Partch, M. L. 1949. Habitat studies of soil moisture in relation to plants and plant communities. Ph.D. Thesis. Univ. Wis., Madison.

450. _____ 1962. Species distribution in a prairie in relation to water-holding capacity. Proc. Minn. Acad. Sci. 30: 38-43.

451. Pase, Charles P. 1958. Herbage production and composition under immature ponderosa pine in the Black Hills. J. Range Mangt. 11: 238-243.

452. Patel, K. R., F. W. Albertson, and G. W. Tomanek. 1964. Micro-climate and vegetation responses on three big bluestem *(Andropogon gerardi Vitman)*

habits near Hays, Kansas. Trans. Kans. Acad. Sci. 67: 41-49.

453. Pepoon, H. S. 1910. The forest associations of northwestern Illinois. Trans. Ill. Acad. Sci. 3: 143-156.

454. Phillips, Alice. 1929. Life forms and biological spectra of the flora of Bacon Swamp, Indiana. Butler Univ. Bot. Studies 1: 41-54.

455. Poggi, E. M. 1934. The prairie province of Illinois. Univ. Ill. Studies in Social Sci. 19: 1-124.

456. Pokara, Dan. 1968. Seasonal changes in a sand prairie in Van Buren County, Michigan. Mich. Bot. 7: 62-66.

457. Pool, R. J. 1914. A study of the vegetation of the sandhills of Nebraska. Minn. Bot. Studies 4: 189-312.

458. _____ J. E. Weaver, and F. C. Jean. 1918. Further studies in the ecotone between prairie and woodland. Univ. Nebr. Studies 18: 1-47.

459. Potter, Loren D., and Duane L. Green. 1964a. Ecology of ponderosa pine in western North Dakota. Ecology 45: 10-23.

460. _____ and Duane L. Green. 1964b. Ecology of a northeastern outlying stand of *Pinus flexillis*. Ecol. Monographs 45: 866-868.

461. _____ and D. Ross Moir. 1961. Phytosociological study of burned deciduous woods, Turtle Mountains, North Dakota. Ecology 42: 468-480.

462. Potzger, J. E. 1934. A notable case of bog formation. Amer. Midl. Nat. 15: 567-580.

463. _____ 1936a. Post-Pleistocene fossil records in peat of the Upper Blue River Valley, Henry County, Indiana. Proc. Ind. Acad. Sci. 45: 64-68.

464. _____ 1936b. Topography and forest types in a central Indiana region. Amer. Midl. Nat. 16: 212-229.

465. _____ 1939. Microclimate and a notable case of its influence on a ridge in central Indiana. Ecology 20: 29-37.

466. _____ 1941. The vegetation of the Mackinac Island, Michigan: An ecological survey. Amer. Midl. Nat. 25: 298-323.

467. _____ 1942. Pollen spectra from four bogs on the Gillen Nature Reserve along the Michigan-Wisconsin state line. Amer. Midl. Nat. 28: 501-511.

468. _____ 1943. Pollen study of five bogs in Price and Sawyer Counties, Wisconsin. Butler Univ. Bot. Studies 61: 54-64.

469. _____ 1946. Phytosociology of the primeval forest in central-northern Wisconsin and Upper Michigan, and a brief post-glacial history of the lake forest formation. Ecol. Monographs 16: 211-250.

470. _____ 1948. A pollen study in the tension zone of Lower Michigan. Butler Univ. Bot. Studies 8: 161-177.

471. _____ 1950. Forest types in the Versailles State Park area, Indiana, Amer. Midl. Nat. 43: 729-742.

472. _____ 1953. History of forests in the Quetico-Superior country from fossil pollen studies. J. Forestry 51: 560-565.

473. _____ 1956. Pollen profiles as indicators in the history of lake filling and bog formation. Ecology 37: 476-483.

474. _____ and L. Chandler. 1950. Beech in the forests about Laughery Creek Valley. Proc. Ind. Acad. Sci. 59: 82-94.

475. _____ and L. Chandler. 1953. Oak forests in the Laughery Creek Valley, Indiana. Proc. Ind. Acad. Sci. 62: 129-135.

476. _____ and A. Courtemanche. 1955. Pollen profiles as indicators in the history of lake filling and bog formation. Ecology 37: 476-483.

477. _____ and R. C. Friesner. 1934. Some comparisons between virgin forest and adjacent areas of secondary succession. Butler Univ. Bot. Studies 3: 85-98.

478. _____ and R. C. Friesner. 1940a. A phytosociological study of the herbaceous plants in two types of forests in central Indiana. Butler Univ. Bot. Studies 4: 163-180.

479. _____ and R. C. Friesner. 1940b. What is climax in central Indiana? Butler Univ. Bot. Studies 4: 181-195.

480. _____ and R. C. Friesner. 1943. An ecological survey of Berkey Woods, a remnant of forest primeval in Kosciusko County, Indiana. Butler Univ. Bot. Studies 6: 10-16.

481. _____ R. C. Friesner, and C. O. Keller. 1942. Phytosociology of the Cox Woods: A remnant of forest primeval in Orange County, Indiana. Butler Univ. Bot. Studies 5: 190-221.

482. _____ and C. O. Keller. 1952. The beech line in northwestern Indiana. Butler Univ. Bot. Studies 10: 108-113.

483. _____ and A. N. Liming. 1953. Secondary succession in stands of red maple-sweet gum-beech forest in Ripley County, Indiana. Butler Univ. Bot. Studies 11: 50-59.

484. _____ and Esther Potzger. 1950. Secondary succession in an Illinoian till plain habitat. Proc. Ind. Acad. Sci. 59: 95-101.

485. _____ and M. E. Potzger. 1950. Composition of the forest primeval from Hendricks County southward to Lawrence County, Indiana. Proc. Ind. Acad. Sci. 60: 109-113.

486. _____ M. E. Potzger, and Jack McCormick. 1956. The forest primeval of Indiana as recorded in the original U.S. land surveys and an evaluation of previous interpretations of Indiana vegetation. Butler Univ. Bot. Studies 13: 95-111.

487. _____ and W. A. Van Engel. 1943. Study of rooted aquatic vegetation of Weber Lake, Vilas County, Wisconsin. Trans. Wis. Acad. Sci. 34: 149-166.

488. Pound, R., and F. E. Clements. 1900. The phytogeography of Nebraska. 2nd ed. Jacob North and Co., Lincoln, Nebr.

489. Prettyman, R. L. 1937. Fossil pollen analysis of Fox Prairie bog, Hamilton County, Indiana. Butler Univ. Bot. Studies 4: 33-42.

490. Qadir, S. A. 1964. A study of edaphic controls of tree species in presettlement forests of Northern Indiana. Ph.D Thesis. Purdue Univ., Lafayette.

491. Quick, B. E. 1924. A comparative study of the distribution of the climax association in southern Michigan. Papers Mich. Acad. Sci. 3: 211-244.

492. Quinnild, Clayton L., and Hugh E. Cosby. 1958. Relicts of climax vegetation on two mesas in western North Dakota. Ecology 39: 29-32.

493. Ralston, R. D., and R. L. Dix. 1966. Green herbage production of native grasslands in the Red River Valley—1965. Proc. N. Dak. Acad. Sci. 20: 57-66.

494. Randall, W. E. 1952. Interrelations of autecological characteristics of forest herbs. Ph.D. Thesis. Univ. Wis., Madison.

495. _____ 1953. Water relations and chlorophyll content of forests herbs in southern Wisconsin. Ecology 34: 544-553.

496. Read, Ralph A. 1952. Tree species occurrence as influenced by geology and soil on an Ozark north slope. Ecology 33: 239-246.

497. Rhodes, J. W. 1933. An ecological comparison of two Wisconsin peat bogs. Milwaukee Pub. Mus. Bull. 7: 305-362.

498. Richards, R. R. 1938. A pollen profile of Otterbein Bog, Warren County, Indiana. Butler Univ. Bot. Studies 4: 128-139.

499. Rickett, H. W. 1921. A quantitative study of the larger aquatic plants of Lake Mendota. Trans. Wis. Acad. Sci. 20: 501-531.

500. _____ 1924. A quantitative study of the larger aquatic plants of Green Lake, Wisconsin. Trans. Wis. Acad. Sci. 21: 381-414.

501. Ridgway, R. 1872a. Notes on the vegetation of the lower Wabash Valley. Amer. Nat. 6: 758-765.

502. _____ 1872b. Notes on the vegetation

of the lower Wabash Valley. II. Peculiar features of the bottomlands. Amer. Nat. 6: 724-732.

503. Riegel, D. A. 1944. A comparative study of natural and artificial revegetation of land retired from cultivation at Hays, Kansas. Trans. Kans. Acad. Sci. 47: 195-214.

504. _____ F. W. Albertson, and H. H. Hopkins. 1950. Yields and utilization of forage on a mixed prairie in west-central Kansas. Trans. Kans. Acad. Sci. 53: 455-472.

505. Robertson, J. H. 1939. A quantitative study of true-prairie vegetation after three years of extreme drought. Ecol. Monographs 9: 433-492.

506. Robinson, T. S. 1966. Effects of canopy density and slope exposure on the subcanopy microenvironment of a northern hardwood forest. Amer. Midl. Nat. 75: 339-346.

507. Robocker, W. C. 1951. Certain factors affecting establishment and survival of several native grass species in Wisconsin. Ph.D. Thesis. Univ. Wis., Madison.

508. _____ J. T. Curtis, and H. L. Ahlgren. 1953. Some factors affecting emergence and establishment of native grass seedlings in Wisconsin. Ecology 34: 194-199.

509. _____ and B. J. Miller. 1955. Effects of clipping, burning, and competition on establishment and survival of some native grasses in Wisconsin. J. Range Mangt. 8: 117-129.

510. Rogler, George A. 1951. A twenty-five year comparison of continuous and rotation grazing in the Northern Plains. J. Range Mangt. 4: 35-41.

511. _____ and H. J. Haas. 1947. Range production as related to soil moisture and precipitation on the Northern Great Plains. J. Amer. Soc. Agron. 5: 378-389.

512. Rohr, F. W., and J. E. Potzger. 1951. Forest and prairie in three northwestern Indiana counties. Butler Univ. Bot. Studies 10: 61-70.

513. Rosendahl, C. O. 1948. A contribution to the knowledge of Pleistocene flora of Minnesota. Ecology 29: 284-315.

514. Ross, B. A., J. R. Tester, and W. J. Breckenridge. 1968. Ecology of mima-type mounds in northwestern Minnesota. Ecology 49: 172-177.

515. Ruby, E. S. 1952. Forage production of North Platte River islands. J. Range Mangt. 5: 84-89.

516. Rudd, Velva E. 1951. Geographical affinities of the flora of North Dakota. Amer. Midl. Nat. 45: 722-739.

517. Rudman, S., and R. W. Pohl. 1951. Vegetational changes in ungrazed grassland at the Iowa Lakeside Laboratory. Proc. Iowa Acad. Sci. 58: 189-200.

518. Russell, N. H. 1953. Plant communities of the Apple River Canyon, Wisconsin. Proc. Iowa Acad. Sci. 60: 228-242.

519. Ruthven, A. G. 1906. An ecological survey in the Porcupine Mountains and Isle Royale, Michigan. State Bd. Geol. Survey Rpt. for 1905: p. 17-55.

520. Sampson, H. S. 1921. An ecological survey of the prairie vegetation in Illinois. Bull. Ill. Nat. Hist. Survey 13: 523-577.

521. Sarvis, J. T. 1920. Composition and density of the native vegetation in the vicinity of the Northern Great Plains Field Station. J. Agr. Res. 19: 63-72.

522. _____ 1923. Effects of different systems and intensities of grazing upon the native vegetation of the Northern Great Plains Field Station. U.S. Dept. Agr. Bull. 1170. 45 p.

523. _____ 1941. Grazing investigations on the Northern Great Plains. N. Dak. Agr. Expt. Sta. Bull. 308. 110 p.

524. Savage, D. A. 1937. Drought survival of native grass species in the central and southern Great Plains, 1935. U.S. Dept. Agr. Tech. Bull. 549.

525. _____ and H. E. Runyon. 1937. Natural revegetation of abandoned farm land in the central and southern Great Plains. Report Fourth Intern. Grassland Congress. Great Britain. Grassland Ecol. 178-182.

526. Schaffner, J. H. 1898. Notes on the salt marsh plants of northern Kansas. Bot. Gaz. 25: 255-260.

527. _____ 1907. Development of the forest belts in the northwestern part of Clay County, Kansas. Trans. Kans. Acad. Sci. 20: 74-79.

528. _____ 1913. The characteristic plants of a typical prairie. Ohio Nat. 13: 65-69

529. _____ 1926. Observations on the grasslands of the central United States. Ohio State Univ. Studies, Contrib. Bot. Lab. 178: 1-56.

530. Schram, Peter (ed.). 1970. Proceedings of a symposium on prairie and prairie restoration (20 papers). Knox College, Galesburg, Ill.

531. Sears, P. B. 1942. Forest sequences in the North Central States. Bot. Gaz. 103: 751-761.

532. Segades-Vianna, F. 1951. A phytosociological and ecological study of cattail stands in Oakland County, Michigan. J. Ecol. 39: 316-329.

533. Shantz, H. L. 1923. The natural vegetation of the Great Plains region. Ann. Assoc. Amer. Geographers 13: 81-107 (selected portions).

534. Sharp, Ward M. 1953. A re-evaluation of plant communities within the Pheasant Range in the Nebraska Sandhills. Ecology 34: 771-777.

535. Shay, C. T. 1967. Vegetation history of the southern Lake Agassiz basin during the past 12,000 years, p. 231-252. *In* W. J. Mayer Oakes (ed.). Life, land, and water. Proc. 1966 conference on environmental studies of the glacial Lake Agassiz region. Univ. Manitoba Press, Winnepeg.

536. Shelford, V. E., and G. S. Winterringer. 1959. The disappearance of an area of prairie in the Cook County, Illinois Forest Preserve District. Amer. Midl. Nat. 61: 89-95.

537. Sheppeard, J. H. 1919. Carrying capacity of native grasses in North Dakota. J. Amer. Soc. Agron. 11: 129-142.

538. Sherff, E. E. 1912. The vegetation of Skokie Marsh, with special reference to subterranean organs and their interrelationships. Bot. Gaz. 53: 415-435.

539. Shimek, B. 1910. Prairie openings in the forest. Proc. Iowa Acad. Sci. 10: 16-19.

540. _____ 1911. The prairies. Univ. Iowa Nat. Hist. Lab. Bull. 6: 169-240.

541. _____ 1915. The plant geography of the Lake Okoboji region. Univ. Iowa Nat. Hist., Lab. Bull. 7(2): 3-69.

542. _____ 1917. The sand flora of Iowa. Univ. Iowa Lab. Nat. Hist. Lab. Bull. 7: 4-24.

543. _____ 1924. The prairie of the Mississippi River bluffs. Proc. Iowa Acad. Sci. 31: 205-215.

544. _____ 1925a. Papers on the prairie. Univ. Iowa Studies Nat. Hist. 11. 36 p.

545. _____ 1925b. The persistence of the prairie. Univ. Iowa Studies Nat. Hist. 11(5): 3-24.

546. _____ 1931. The relation between the migrant and native flora of the prairie region. Univ. Iowa Studies Nat. Hist. 14: 10-16.

547. _____ 1948. The plant geography of Iowa (edited by H. S. Conard). Univ. Iowa Studies Nat. Hist. 18(4): 1-178.

548. Shirley, Hardy L. 1934. Observations on drought injury in Minnesota forests. Ecology 15: 42-48.

549. _____ 1945. Reproduction of upland conifers in the Lake States as affected by root competition and light. Amer. Midl. Nat. 33: 537-612.

550. Shively, S. B., and J. E. Weaver. 1939. Amount of underground plant material in different grassland climates. Univ. Nebr. Cons. and Survey Div. Bull. 21. 68 p.

551. Short, C. W. 1845. Observations on the botany of Illinois, more especially in reference to the autumnal flora of the prairies. West. J. Med. and Surg., N. S. 3: 185-198.

552. Smith, B. E., and G. Cottam. 1967. Spatial relationships of mesic forest herbs in southern Wisconsin. Ecology 48: 546-558.

553. Smith, C. Ray. 1963. Variations in vegetation and soil on three breaks—sites overlying three different limestone formations. M.S. Thesis. Ft. Hays, Kans., State Col.

554. Smith, William M. 1937. Pollen spectrum of Lake Cicott Bog, Cass County, Indiana. Butler Univ. Bot. Studies 4: 43-54.

555. Sonnenberg, Duane. 1961. Some ecological studies of the vegetation at the Cheyenne Bottoms Waterfowl Refuge. M.S. Thesis. Ft. Hays, Kans., State Col.

556. Sperry, Theodore M. 1935. Root systems in Illinois prairie. Ecology 16: 178-201.

557. Spurr, S. H. 1954. The forests of Itasca in the nineteenth century as related to fire. Ecology 35: 21-25.

558. Stallard, Harvey. 1929. Secondary succession in the climax forest formation of northern Minnesota. Ecology 10: 476-547.

559. Stearns, F. W. 1949. Ninety years change in a northern hardwood forest in Wisconsin. Ecology 30: 350-358.

560. _____ 1950. The composition of a remnant white pine forest in the Lake States. Ecology 31: 209-292.

561. _____ 1951. The composition of the sugar maple-hemlock-yellow birch association of northern Wisconsin. Ecology 32: 245-265.

562. Steiger, T. L. 1930. Structure of prairie vegetation. Ecology 11: 170-217.

563. Steinbrenner, E. C. 1951. Effect of grazing on floristic composition and soil properties of farm woodlots in southern Wisconsin. J. Forestry 49: 906-910.

564. Steyermark, Julian A. 1940. Studies of the vegetation of Missouri. I. Natural plant associations and succession in the Ozarks of Missouri. Field Mus. of Nat. Hist. P. 485, 9(5): 349-475.

565. _____ 1959. Vegetational history of the Ozark forest. Univ. Mo. Studies 31. 138 p.

566. Stinemetze, LeRay O. 1954. Vegetation on a mixed prairie of west-central Kansas. M.S. Thesis. Ft. Hays, Kans., State Col.

567. Stoeckeler, Joseph H. 1960. Soil factors affecting the growth of quaking aspen forests in the Lake States. Minn. Agr. Expt. Sta. Tech. Bull. 233.

568. _____ and Gustaf A. Limstrom. 1942. Ecological factors influencing reforestation in northern Wisconsin. Ecol. Monographs 12: 191-212.

569. _____ and John W. Macon. 1956. Regeneration of aspen cutover areas in northern Wisconsin. J. Forestry 54: 13-16.

570. Stout, A. B. 1914. A biological and statistical analysis of the vegetation of a typical wild hay meadow. Trans. Wis. Acad. Sci. 17: 405-469.

571. _____ 1944. The bur oak openings in southern Wisconsin. Trans. Wis. Acad. Sci. 36: 141-161. (Issued January 1946.)

572. Struik, Gwendolyn J. 1957. The distribution of some herbaceous plants in the maple forest. M.S. Thesis. Univ. Wis., Madison.

573. _____ and J. T. Curtis. 1962. Herb distribution in an *Acer saccharum* forest. Amer. Midl. Nat. 68: 285-296.

574. Swanson, C. H. 1929. The ecology of Turkey Run State Park. I. The flood plain. Proc. Ind. Acad. Sci. 1928. 38: 165-170.

575. Swindale, D. N., and J. T. Curtis. 1957. Phytosociology of the larger submerged plants in Wisconsin lakes. Ecology 38: 397-407.

576. Sylvester, Donell D. 1957. Response of sandhill vegetation to deferring grazing. J. Range Mangt. 10: 267-268.

577. Telford, C. J. 1926. Third report on the forest survey of Illinois. Ill. Nat. Hist. Survey Bull. 16: 1-102.

578. Tester, J. R., and W. H. Marshall. 1961. A study of certain plant and animal interrelations on a native prairie in northwestern Minnesota. Univ. Minn. Mus. Nat. Hist. Occas. Paper 8. 51 p.

579. _____ and W. H. Marshall. 1962. Minnesota prairie management techniques and their wildlife implications. Trans. North Amer. Wildlife Conf. 27: 267-287.

580. Thomson, J. W. 1940. Relic prairie areas in central Wisconsin. Ecol. Monographs 10: 685-717.

581. _____ 1943. Plant succession on abandoned fields in the central Wisconsin sand plain area. Bull. Torrey Bot. Club 70: 34-41.

582. _____ 1944. A survey of the larger aquatic plants and bank flora of the Brule River. Trans. Wis. Acad. Sci., 36: 57-76.

583. Thompson, Paul W. 1970. A wet prairie community in Ann Arbor, Michigan. Mich. Academician II (4): 87-94.

584. Thornber, J. J. 1901. The prairie-grass formation in region 1. Rpt. Bot. Survey Univ. Nebr. 5: 29-143.

585. Tolstead, W. L. 1941. Plant communities and secondary succession in south-central South Dakota. Ecology 22: 322-328.

586. _____ 1942. Vegetation of the northern part of Cherry County, Nebraska. Ecol. Monographs 12: 255-292.

587. _____ 1947. Woodlands in northwest Nebraska. Ecology 28: 180-188.

588. Tomanek, G. W. 1948. Pasture types of western Kansas in relation to the intensity of utilization in past years. Trans. Kans. Acad. Sci. 51: 171-196.

589. _____ 1959. Effects of climate and grazing on mixed prairie. Amer. Assoc. Advn. Sci. P. 53. Grasslands. 371-377. Wash. D.C.

590. _____ 1964. Some soil-vegetation relationships in western Kansas. Amer. Soc. Agron. Spec. P. 5. Forage Plant Physiology and soil-range relationships. 158-164.

591. _____ and F. W. Albertson. 1953. Some effects of different intensities of grazing on mixed prairies near Hays, Kansas. J. Range Mangt. 6: 299-306.

592. _____ and F. W. Albertson. 1957. Variations in cover, composition, production, and roots of vegetation in two prairies in western Kansas. Ecol. Monographs 27: 267-281.

593. _____ F. W. Albertson, and A. Riegel. 1955. Natural revegetation of a field abandoned thirty-three years in central Kansas. Ecology 36: 407-412.

594. Transeau, E. N. 1905. The bogs and bog flora of the Huron River Valley. Bot. Gaz. 40: 418-448.

595. _____ 1935. The prairie peninsula. Ecology 16: 423-437.

596. Truman, H. V. 1937. Fossil evidence of two prairie invasions of Wisconsin. Trans. Wis. Acad. Sci. 30: 35-42.

597. Turner, L. M. 1934. Grassland in the flood-plain of Illinois rivers. Amer. Midl.Nat. 15: 770-780.

598. _____ 1936. Ecological studies in the lower Illinois River Valley. Bot. Gaz. 97: 689-727.

599. Ungar, I. A. 1964. A phytosociological analysis of the Big Salt Marsh, Stafford County, Kansas. Trans. Kans. Acad. Sci. 67: 50-64.

600. _____ 1965. An ecological study of the vegetation of the Big Salt Marsh, Stafford County, Kansas. Univ. Kans. Sci. Bull. 46: 1-98.

601. _____ 1966. Salt tolerance of inland halophytes of Kansas and Oklahoma. Ecology 47: 154-155.

602. _____ 1967. Vegetation-soil relationships on saline soils in northern Kansas. Amer. Midl. Nat. 78: 98-120.

603. Van Amburg, Gil. 1965. The effect of soil depth upon basal cover and production of mixed prairie vegetation. M. S. Thesis. Ft. Hays, Kans., State Col. 53 p.

604. Van Denack, Sister Julia Maria. 1961. An ecological analysis of the sand dune complex in Point Beach State Forest, Two Rivers, Wisconsin. Bot. Gaz. 122: 155-174.

605. Veatch, J. O. 1927. The dry prairies of Michigan. Papers Mich. Acad. 8: 269-278.

606. _____ 1928. Reconstruction of forest cover based on soil maps. Mich. Agr. Expt. Sta. Q. Bull. 10: 116-126.

607. _____ 1932. Soil maps as a basis for mapping original forest cover. Papers Mich. Acad. Sci. 15: 267-273.

608. Vestal, A. G. 1913. An associational study of Illinois sand prairie. Bull. Ill. State Lab. Nat. Hist. 10: 1-96.

609. _____ 1914. A black-soil prairie station in northeastern Illinois. Torrey Bot. Club Bull. 41: 351-363.

610. _____ 1918a. Local inclusions of prairie within forest. Trans. Ill. State Acad. Sci. 11: 122-126.

611. _____ 1918b. Invasion of forest land by prairie along railroads. Trans. Ill. State Acad. Sci. 11: 126-128.

612. _____ 1931. A preliminary vegetation map of Illinois. Trans. Ill. State Acad. Sci. 23: 204-217.

613. Vogl, Richard J. 1964a. Vegetational history of the Crex Meadows, a prairie savanna in northwestern Wisconsin. Amer. Midl. Nat. 72: 157-175.

614. _____ 1964b. The effects of fire on a muskeg in northern Wisconsin. J. Wildlife Mangt. 28: 317-329.

615. _____ 1965. Effects of spring burning on yields of bush prairie savanna. J. Range Mangt. 18: 202-205.

616. _____ 1969. One hundred and thirty years of plant succession in a southeastern Wisconsin lowland. Ecology 50: 248-255.

617. Voight, J. W. 1951. Vegetational changes on a 25-year subsere in the Loess Hill region of central Nebraska. J. Range Mangt. 4: 254-263.

618. _____ 1953. Yield and consumption in a southern Illinois bluegrass-broomsedge pasture. J. Range Mangt. 6: 260-266.

619. _____ and R. H. Mohlenbrock. 1964. Plant communities of southern Illinois. South. Ill. Univ. Press., Carbondale. 202 p.

620. _____ and J. E. Weaver. 1951. Range condition classes of native midwestern pasture: An ecological analysis. Ecol. Monographs 21: 39-60.

621. Voss, John. 1933. Pleistocene forests of central Illinois. Bot. Gaz. 94: 808-814.

622. _____ 1934. Postglacial migration of forests of central Illinois, Wisconsin, and Minnesota. Bot. Gaz. 96: 3-43.

623. _____ 1937. Comparative study of bogs on Cary and Tazewell drift of Illinois. Ecology 18: 119-135.

624. _____ 1939. Forests of the Yarmouth and Sangomon interglacial period in Illinois. Ecology 20: 517-528.

625. Wagner, B. G. 1951. A study of prairie soils and vegetation in southern Wisconsin. M.S. Thesis. Univ. Wis., Madison.

626. Wanek, Wallace J., and Robert L. Burgess. 1965. Floristic composition of the sand prairies of southeastern North Dakota. Proc. N. Dak. Acad. Sci. 19: 26-40.

627. Ward, R. T. 1954. A phytosociological study of the beech forests of Wisconsin. Ph.D. Thesis. Univ. of Wis., Madison.

628. _____ 1956. The beech forests of Wisconsin—changes in forest composition and the nature of the beech border. Ecology 37: 407-419.

629. Ware, George H. 1955. A phytosociological study of the lowland forests of southern Wisconsin. Ph.D. Thesis. Univ. Wis., Madison.

630. Waterman, W. G. 1917. Ecology of Northern Michigan dunes: Crystal Lake Bar region. Mich. Acad. Sci. Rpt. 19: 197-208.

631. _____ 1922. Development of plant communities of a sand ridge in Michigan. Bot. Gaz. 74: 1-31.

632. _____ 1923. Bogs of northern Illinois. Trans. Ill. State Acad. Sci. 16: 214-225.

633. _____ 1926. Ecological problems from the Sphagnum bogs of Illinois. Ecology 7: 255-272.

634. Watts, W. A. 1967. Late-glacial plant macrofossils from Minnesota, p. 89-97. *In* E. J. Cushing and H. E. Wright, Jr. (ed.), Quatenary Paleoecology. Yale Univ. Press, New Haven.

635. _____ and R. C. Bright. 1968. Pollen, seed, and mollusk analysis of a sediment core from Pickerel Lake, Day County, South Dakota. Geol. Soc. Amer. Bull. 79: 855-876.

636. _____ and T. C. Winter. 1966. Plant macrofossils from Kircher Marsh, Minnesota—a paleoecological study. Geol. Soc. Amer. Bull. 77: 1339-1360.

637. _____ and H. E. Wright, Jr. 1966. Late-Wisconsin pollen and seed analysis from the Nebraska sandhills. Ecology 47: 202-210.

638. Weaver, J. E. 1920. Root development in the grassland formation. Carnegie Inst. Wash. P. 292.

639. _____ 1942. Competition of western wheatgrass with relict vegetation of prairie. Amer. J. Bot. 29: 366-372.

640. _____ 1943. Replacement of true prairie by mixed prairie in eastern Nebraska and Kansas. Ecology 24: 421-434.

641. _____ 1944a. Recovery of midwestern prairies from drought. Amer. Philos. Soc. P. 88. No. 2.

642. _____ 1944b. North American prairie. The Amer. Scholar 13(3): 329-339.

643. _____ 1947. Rate of decomposition of roots and rhizomes of certain range grasses in undisturbed prairie soil. Ecology 28: 221-240.

644. _____ 1950a. Effects of different intensities of grazing on depth and quantity of roots of grasses. J. Range Mangt. 3: 100-113.

645. _____ 1950b. Stabilization of midwestern grasslands. Ecol. Monographs 20: 251-270.

646. _____ 1954a. North American prairie. Johnsen Co., Lincoln, Nebr. 348 p.

647. _____ 1954b. A seventeen-year study of plant succession in prairie. Amer. J. Bot. 41: 31-38.

648. _____ 1958a. Classification of root systems of forbs of grassland and a consideration of their significance. Ecology 39: 393-401.

649. _____ 1958b. Native grassland of southwestern Iowa. Ecology 39: 733-750.

650. _____ 1958c. Summary and interpretation of underground development in natural grassland communities. Ecol. Monographs 28: 55-78.

651. _____ 1960a. Comparison of vegetation of the Kansas-Nebraska drift-loess hills and loess plains. Ecology 41: 73-88.

652. _____ 1960b. Extent of communities and abundance of the most common grasses in the prairie. Bot. Gaz. 122: 25-33.

653. _____ 1960c. Flood plain vegetation of the central Missouri Valley and contacts of woodland with prairie. Ecol. Monographs 30: 37-64.

654. _____ 1961a. The living network in prairie soils. Bot. Gaz. 123: 16-28.

655. _____ 1961b. Return of midwestern grassland to its former composition and stabilization. C. C. Adams Cent. Ecol. Studies Occas. Paper 3: 1-15.

656. _____ 1963. The wonderful prairie sod. J. Range Mangt. 16: 165-171.

657. _____ 1965. Native vegetation of Nebraska. Univ. Nebr. Press, Lincoln. 185 p.

658. _____ 1968. Prairie plants and their environment—a fifty-year study in the Midwest. Univ. Nebr. Press, Lincoln. 276 p.

659. _____ and F. W. Albertson. 1936. Effects of the great drought on the prairies of Iowa, Nebraska, and Kansas. Ecology 17: 567-639.

660. _____ and F. W. Albertson. 1939. Major changes in grassland as a result of continued drought. Bot. Gaz. 100: 576-591.

661. _____ and F. W. Albertson. 1940a. Deterioration of grassland from stability to denudation with decrease in soil moisture. Bot. Gaz. 101: 598-624.

662. _____ and F. W. Albertson. 1940b. Deterioration of midwestern ranges. Ecology 21: 216-236.

663. _____ and F. W. Albertson. 1943. Resurvey of grasses, forbs, and underground plant parts at the end of the great drought. Ecol. Monographs 13: 63-117.

664. _____ and F. W. Albertson. 1944. Nature and degree of recovery of grassland from the great drought of 1933 to 1940. Ecol. Monographs 14: 393-479.

665. _____ and F. W. Albertson. 1956. Grasslands of the Great Plains. Johnsen Co., Lincoln, Nebr. 395 p.

666. _____ and W. E. Bruner. 1945. A seven-year quantitative study of succession in grassland. Ecol. Monographs 15: 297-319.

667. _____ and W. E. Bruner. 1948. Prairies and pastures of the dissected loess plains of central Nebraska. Ecol. Monographs 18: 508-549.

668. _____ and W. E. Bruner. 1954. Nature and place of transition from true prairie to mixed prairie. Ecology 35: 117-126.

669. _____ and R. W. Darland. 1944. Grassland patterns in 1940. Ecology 25: 202-215.

670. _____ and R. W. Darland. 1945. Yields and consumption of forage in three prairie types; an ecological analysis. Univ. Nebr. Conserv. Survey Div. Bull. 27. 76 p.

671. _____ and R. W. Darland. 1948. Changes in vegetation and production of forage resulting from grazing lowland prairie. Ecology 29: 1-29.

672. _____ and R. W. Darland. 1949. Soil-root relationships of certain native grasses in various soil types. Ecol. Monographs 19: 303-338.

673. _____ and T. J. Fitzpatrick. 1932. Ecology and relative importance of the dominants of tall-grass prairie. Bot. Gaz. 93: 113-150.

674. _____ and T. J. Fitzpatrick. 1934. The prairie. Ecol. Monographs 4: 109-295.

675. _____ and E. L. Flory. 1934. Stability of climax prairie and some environmental changes resulting from breaking. Ecology 15: 333-347.

676. _____ and W. W. Hansen. 1941a. Native midwestern pastures: Their origin, composition, and degeneration. Univ. Nebr. Conserv. Survey Div. Bull. 22. 93 p.

677. _____ and W. W. Hansen. 1941b. Regeneration of native midwestern pastures under protection. Univ. Nebr. Conserv. Survey Div. Bull. 23. 91 p.

678. _____ and G. W. Harmon. 1935. Quantity of living plant materials in prairie soils in relation to runoff and soil erosion. Univ. Nebr. Conserv. Survey Div. Bull. 8. 53 p.

679. _____ and W. J. Himmel. 1931. The environment of the prairie. Univ. Nebr. Conserv. Survey Div. Bull. 5. 150 p.

680. _____ and V. H. Hougen. 1939. Effect of clipping on plant production in prairie and pasture. Amer. Midl. Nat. 21: 396-414.

681. _____ and J. Kramer. 1932. Root system of *Quercus macrocarpa* in relation to the invasion of prairie. Bot. Gaz. 94: 51-85.

682. _____ and I. M. Mueller. 1942a. Role of seedlings in recovery of midwestern prairie from drought. Ecology 23: 275-294.

683. _____ and I. M. Mueller. 1942b. Relative drought resistance of seedlings of dominant prairie grasses. Ecology 23: 387-398.

684. _____ J. H. Robertson, and R. L. Fowler. 1940. Changes in true prairie during drought as determined by list quadrats. Ecology 21: 357-362.

685. _____ and N. W. Rowland. 1952. Effects of excessive natural mulch on development, yield, and structure of native grassland. Bot. Gaz. 114: 1-19.

686. _____ L. A. Stoddart, and W. Noll. 1935. Response of the prairie to the great drought of 1934. Ecology 16: 612-629.

687. _____ and A. F. Thiel. 1916. Ecological studies in the tension zone between prairie and woodland. Bot. Survey Nebr. N. S. 1: 1-60.

688. _____ and G. W. Tomanek. 1951. Ecological studies in a midwestern range: The vegetation and effects of cattle on its composition and distribution. Univ. Nebr. Conserv. Survey Div. Bull. 31. 82 p.

689. _____ and E. Zink. 1946a. Annual increase in underground materials in three range grasses. Ecology 27: 115-127.

690. _____ and E. Zink. 1946b. Length of life of roots of ten species of perennial range and pasture grasses. Plant Physiol. 21: 201-217.

691. Wedel, Waldo R. 1957. The central North American grassland: Man-made or natural. Social Sci. Monog. III. Studies in human ecology. Dept. Cultural Affairs, Pan Amer. Union. Wash., D. C. p. 39-69.

692. Welch, W. H. 1929. Forest and prairie, Benton County, Indiana. Proc. Ind. Acad. Sci. 39: 67-72.

693. _____ 1936. Boreal plant relics in Indiana. Proc. Ind. Acad. Sci. 45: 75-88.

694. Werner, R. M., and J. M. Aikman. 1943. Relation of secondary plant succession to soil water conservation. Iowa State Col. J. Sci. 17: 175-189.

695. West, R. G. 1961. Late-glacial and post-glacial vegetation history in Wisconsin, particularly changes associated with the Valders readvance. Amer. J. Sci. 259: 766-783.

696. Westveld, R. H. 1933. The relation of certain soil characteristics to forest growth and composition in the northern hardwood forest of northern Michigan. Mich. Agr. Expt. Sta. Tech. Bull. 135.

697. White, Keith L. 1965. Shrub-carrs of southeastern Wisconsin. Ecology 46: 267-304.

698. Whitford, H. M. 1901. The genetic development of the forests of northern Michigan. Bot. Gaz. 31: 289-325.

699. Whitford, P. B. 1948. Species distribution and age of hardwood stands in the prairie-forest region of Wisconsin. Ph.D. Thesis. Univ. Wis., Madison.

700. _____ 1949. Distribution of woodland plants in relation to succession and clonal growth. Ecology 30: 199-208.

701. _____ 1951. Estimation of the age of forest stands in the prairie-forest border region. Ecology 32: 143-147.

702. _____ 1958. A study of prairie remnants in southeastern Wisconsin. Ecology 39: 727-733.

703. _____ and P. J. Salamun. 1954. An upland forest survey of the Milwaukee area. Ecology 35: 533-540.

704. Whitman, W. C. 1954. Yield characteristics of native grass ranges. Proc. N. Dak. Acad. Sci. 8: 14-19.

705. _____ 1963. Vegetation of North Dakota, p. 37-61. *In* Conservation of Natural Resources in North Dakota. N. Dak. State Univ., Fargo.

706. _____ and O. A. Stevens. 1951. Native legumes of North Dakota grassland. Proc. N. Dak. Acad. Sci. 4: 73-78.

707. _____ and H. C. Hanson. 1939. Vegetation on scoria and clay buttes in western North Dakota. Ecology 20: 455-457.

708. _____ H. T. Hanson, and G. Loder. 1943. Natural revegetation of abandoned fields in western North Dakota. N. Dak. Agr. Expt. Sta. Bull. 321.

709. _____ H. T. Hanson, and R. Peterson. 1943. Relation of drought and grazing to North Dakota rangeland. N. Dak. Agr. Expt. Sta. Bull. 320. 27 p.

710. _____ and E. A. Helgeson. 1946. Range vegetation studies. N. Dak. Agr. Expt. Sta. Bull. 340. 43 p.

711. _____ and O. A. Stevens. 1941. Grass. N. Dak. Agr. Expt. Sta. Bull. 300. 112 p.

712. Whitney, J. D. 1876. Plain, prairie, and forest. Amer. Nat. 10: 577-588, 656-667.

713. Wiegert, Richard G., and Francis C. Evans. 1964. Primary production and the disappearance of dead vegetation on an old field in southeastern Michigan. Ecology 45: 49-63.

714. Wilde, S. A. 1933. The relation of soils and forest vegetation of the Lake States region. Ecology 14: 94-105.

715. _____ 1958. Forest soils, their properties and relation to silviculture. The Ronald Press. New York. 537 p. (selected sections).

716. _____ and A. L. Leaf. 1955. The relationship between the degree of soil podzolization and the composition of ground cover vegetation. Ecology 36: 19-22.

717. _____ P. B. Whitford, and C. T. Youngberg. 1948. Relation of soils and forest growth in the driftless area of southwestern Wisconsin. Ecology 29: 173-180.

718. Wilson, I. T., and J. E. Potzger. 1943a. Pollen records from lakes in Anoka County, Minnesota: A study of methods of sampling. Ecology 24: 382-392.

719. _____ and J. E. Potzger. 1943b. Pollen study of sediments from Douglas Lake, Cheboygan County and Middle Fish Lake, Montgomery County, Michigan. Proc. Ind. Acad. Sci. 52: 87-92.

720. Wilson, L. R. 1935. Lake development and plant succession in Vilas County, Wisconsin. Ecol. Monographs 5: 207-247.

721. _____ 1936. Further fossil studies of the Two Creek bed, Manitowoc County, Wisconsin. Bull. Torrey Bot. Club 63: 317-325.

722. _____ 1937. A quantitative and ecological study of the larger aquatic plants of Sweeney Lake, Onieda County, Wisconsin. Bull. Torrey Bot. Club 64: 199-208.

723. _____ 1938. The postglacial history of vegetation in northwestern Wisconsin. Rhodora 40: 137-175.

724. _____ 1941. The larger aquatic vegetation of Trout Lake, Vilas County, Wisconsin. Trans. Wis. Acad. Sci. 33: 135-146.

725. Winchell, N. H. 1875. Notes on the Big Woods. Annu. Rpt. Minn. State Hort. Soc. 3: 47-50.

726. Wing, Leonard W. 1937. Evidences of ancient oak openings in southern Michigan. Ecology 18: 170-171.

727. Winterringer, G. S., and A. G. Vestal. 1956. Rockledge vegetation in southern Illinois. Ecol. Monographs 26: 105-130.

728. Woodward, J. 1924. Origin of prairies in Illinois. Bot. Gaz. 77: 241-261.

729. _____ 1925. Factors influencing the distribution of tree vegetation in Champaign County, Illinois. Ecology 6: 150-156.

730. Woollett, Marjorie L., and Dorothy Sigler. 1928. Revegetation of beech-maple areas in the Douglas Lake Region. Torreya 28: 21-28.

731. Wright, H. E., Jr. 1964. Aspects of the early postglacial forest succession in the Great Lakes Region. Ecology 45: 439-448.

732. _____ T. C. Winter, and H. L. Patten. 1963. Two pollen diagrams from southeastern Minnesota: Problems in the regional late-glacial and postglacial vegetational history. Geol. Soc. Amer. Bull. 1371-1396.

733. Yeager, A. F. 1935. Root systems of certain trees and shrubs grown on prairie soils. J. Agr. Res. 51: 1085-1092.

734. Yeager, Lee E. 1949. Effect of permanent flooding in a river bottom timber tract. Ill. Nat. Hist. Survey Bull. 25: 33-65.

735. Youngberg, C. T. 1951. Evolution of prairie-forest soils under cover of invading northern hardwoods in the driftless area of southwestern Wisconsin. Trans. Wis. Acad. Sci. 40: 285-289.

736. Zavesky, Larry D. 1966. Soil-vegetation relationships of a blue shale-limy upland range site in Ellis County, Kansas. M.S. Thesis. Ft. Hays, Kans., State Col.

737. _____ 1967. Soil-vegetation relationships of a blue shale-limy upland range site in Ellis County, Kansas. Ft. Hays Studies. Sci. Ser. No. 7. Ft. Hays, Kans., State Col. 42 p.

738. Zedler, Joy B., and O. L. Loucks. 1969. Differential burning response of *Poa pratensis* fields and *Andropogon scoparius* prairies in central Wisconsin. Amer. Midl. Nat. 81: 341-352.

739. _____ and Paul H. Zedler. 1969 Association of species and their relationship to microtopography within old fields. Ecology 50: 432-442.

740. Zeller, Deane Harlan. 1963. Certain mulch and soil characteristics of major range sites in western North Dakota as related to range condition. M.S. Thesis. N. Dak. State Univ., Fargo.

741. Zicker, Wilma A. 1955. An analysis of Jefferson County vegetation using surveyor's records and present day data. M.S. Thesis. Univ. Wis., Madison.

742. Zumberge, J. H., and J. E. Potzger. 1956. Late Wisconsin chronology of the Lake Michigan basin correlated with pollen studies. Geol. Soc. Amer. Bull. 67: 271-288.

☆ U.S. GOVERNMENT PRINTING OFFICE : 1971 O—428-202